Index to Volume 4

HYPERTENSION JANUARY-DECEMBER 1982

AUTHOR INDEX

A

Abe K, 444
Adams BV, 735
Adragna NC, 795
Akabane S, 211
Alexander N, 452
Ambrosioni E, 789
Amorena C, 620
Antonaccio MJ, 487
Arendshorst WJ, 908
Armstrong J, 93
Asaad MM, 487
Ashihara T, 288
Ayers CK, 338

B

Baer PG, 361
Bagby SP, 146
Bahlmann J, 839
Bailie MD, 676
Barden A, 642
Baron S, 686
Bealer SL, 575
Beck F, 686
Beierwaltes WH, 908
Bell DR, 394
Bell PD, 58
Benzoni D, 325
Berecek KH, 3, 572
Berenson GS, 329
Beretta-Piccoli C, 697
Berger ME, 424
Berglund G, 692
Bing RF, 69, 238
Birkenhäger WH, 125
Björntorp P, 692
Blantz RC, 51
Boehringer K, 697
Boer P, 190
Bohr DF, 13, 782
Borghi C, 789
Borhani NO, 307
Bouhnik J, 185
Bourque M, 845
Brabson J, 881
Brant D, 782
Bravo EL, 84
Brenner A, 341
Bresnahan M, 400
Brock TA, 394
Brod J, 839
Brody MJ, 3, 387
Brosnihan KB, 604
Browning D, 251
Bryan WJ, 155, 312
Buckalew VM Jr, 581
Bullock BC, 348
Buñag RD, 556, 898
Burton J, 219
Butterfield RB, 898
Buu NT, 845

C

Cachovan M, 839
Caldwell RW, 575
Camargo ACM, 178
Campbell WB, 735
Canal N, 226
Canessa ML, 795
Cannon PJ, 257
Catania R, 686
Chobanian AV, 415
Christensen BL, 483
Chumlea WC, 382
Clark DB, 894
Clauser E, 185
Clough DP, 764
Cody RJ Jr, 219
Coen E, 251
Cohen DM, 13
Collis MG, 251, 764
Corvol P, 185
Costa FV, 789
Cox RH, 27
Crofton JT, 572
Csicsmann J, 590
Curb JD, 307, 710

D

Dart RA, 729
Davis D, 566
de Faire U, 725
De Giovanni J, 817
de Jesus P, 178
de Leeuw PW, 125
Devereux RB, 524
Dietz R, 773
DiNicolantonio R, 590
Distler A, 205
Diz DI, 361
Donoso VS, 676
Draghetta W, 178
Drayer JIM, 524
Drury PL, 750
du Souich P, 93
Duhm J, 468, 477
Dunbar JM, 415
Dustan HP, 1, 84
Dzau VJ, 341

E

Elkins M, 782
Engebretson TO Jr, 415
Enlund H, 716

F

Fernandez-Pardal J, 821
Ferrari A, 47, 245
Ferrario CM, 604
Fineberg NS, 494, 805
Fink GD, 155, 312
Fitzgibbon K, 355
Fouad FM, 84
Franceschi M, 226
Frech M, 625
Frederics R, 452
Fregly MJ, 118
Friedman SM, 230
Fujii J, 272, 294
Funder J, 703

G

Gandler T, 881
Ganten U, 773
Gardes J, 185
Garrity TF, 415
Garwitz ET, 374
Gavras H, 400
Gavras I, 400
Genest J, 845
Geyskes GG, 190
Gifford J, 51
Gillum RF, 299
Ginchereau EH, 355
Giordani MF, 789
Go S, 211
Göbel BO, 468, 477
Golub MS, 424
Gomez-Sanchez CE, 735
Gordon FJ, 387
Goto T, 444
Graham RM, 881
Greene LJ, 178
Gregorini L, 245
Gregory TJ, 827
Grissette DE, 132, 394
Gross F, 3, 751
Grossman SH, 566
Grubeck-Loebenstein B, 112
Gruber KA, 348, 572, 581
Gunnells JC, 566
Gushwa LC, 51
Guthrie GP Jr, 894

H

Haber E, 341
Halperin H, 329
Halushka PV, 634
Hamet P, 93, 845
Hamlin M, 782
Hansen CT, 864, 872
Hara A, 102
Hardy RJ, 307, 710
Hartford M, 692
Hartley LH, 219
Haruyama T, 444
Hatton R, 764
Hatzinikolaou P, 400
Hawkins CM, 710
Hayashi T, 662
Haynes RB, 415
Haywood JR, 387
Heistad D, 904
Herd JA, 219
Hiwatari M, 444
Holland OB, 735
Huang W-C, 58
Hubrich W, 839
Hutchins PM, 581
Hutchinson JS, 590

I

Ibsen KK, 703
Ikeda M, 211, 272
Imai Y, 444
Imaizumi T, 288
Iselius L, 725
Ito K, 211

J

Jacobs DR Jr, 299
Jasberg K, 431
Jensen HÆ, 703
Jirakulsomchok D, 58
Johnson AK, 387
Johnson MD, 338
Jones AW, 374
Joseph MK, 545
Julius S, 782

K

Kao-Lo G, 532
Kasai Y, 444
Kastner PR, 652
Kawai C, 102
Kawamura M, 211
Keddie JR, 764
Keiser HR, 625
Keith TA III, 438
Kentera D, 681
Kerber RE, 39
Kikta DC, 118
King HE, 355
Klein AA, 507
Klemmer PJ, 908
Knittle JL, 382
Komanicky P, 140
Koomans HA, 190
Korn A, 112
Krieger EM, 77
Kübler W, 773
Kuchel O, 845
Kurihara H, 272

L

Labarthe DR, 307
Laragh JH, 524, 538
Larochelle P, 93, 845
Larocque P, 93
LeDoux JE, 853
Leonetti G, 47
Leventhal H, 415
Levine RJ, 415
Levy RL, 415
Liard J-F, 597
Lindheimer MD, 809
Littler WA, 817
Ljungman S, 692
Loadholt CB, 634
Lohmeier TE, 652
Lorenz R, 477
Lovenberg W, 864, 872
Luft FC, 494, 805
Lundman T, 725
Lüth JB, 773

M

Magnani B, 789
Mahoney D, 642
Malayan S, 782
Mancia G, 47, 245
Mandal AK, 681
Mark AL, 39
Marks ES, 238, 625
Maronde RF, 452
Martins AR, 178
Matsunaga M, 102, 750
Mattson ME, 415
Maude DL, 532
Mayrovitz HN, 264
McAllister RG Jr, 894
McCrory WW, 507
McGee D, 406
McLeay RAB, 817
McPartland RP, 20, 545
Mees EJD, 190
Meier A, 697
Melby JC, 140
Menard J, 185
Mendelsohn FAO, 590
Mercinelli A, 226
Miller RE, 355
Mokler DJ, 312
Montebugnoli L, 789
Morimoto K, 102
Morris BJ, 198
Morris JG, 382
Morris M, 161
Mueller WH, 483
Mujais SK, 84
Müller A, 620
Murray RD, 3

N

Nadeau JH, 167, 320
Naftilan AJ, 670
Nakamura K, 662
Nakamura M, 288
Nasiletti A, 361
Navar LG, 58
Niarchos AP, 538
Nissinen A, 716
North WG, 400
Nyby M, 431, 686

O

O'Connor DT, 742
Ogilvie RI, 167, 320
Ogino K, 211
Okuno T, 809
Oliver JA, 257
Oparil S, 1, 670, 809
Overbeck HW, 1, 132, 394

P

Page IH, 177, 337
Pak CH, 102
Pan Y-J, 279
Parati G, 245
Pettinger WA, 881
Phillips MI, 514, 888
Pickering TG, 538
Plunkett WC, 581
Pomidossi G, 47, 245
Ponce-Hornos J, 620
Preston RA, 742
Pretschner PT, 839
Prineas RJ, 299
Printz MP, 827
Privitera PJ, 634
Proud D, 625

R

Rapp JP, 20, 459, 545, 753
Rasher W, 773
Reed D, 406
Reid IA, 338
Reis DJ, 853
Richards EM, 888
Roche AF, 382
Rodger RF, 219
Roos JC, 190
Roper KJ, 198
Rosenthal RA, 507
Rowlands DB, 817
Roy JW, 264
Rudel LL, 348
Russel GI, 69, 238

S

Saavedra JM, 821
Sadoshima S, 904
Saffer RL, 337
Sagalowsky A, 881
Sakaguchi A, 853
Salgado MCO, 77
Sanchez R, 782
Sasaki S, 556
Sassard J, 325
Sato M, 444
Savage DD, 524
Schömig A, 773
Sciacca RR, 257
Scoggins BA, 918
Seino M, 444
Seki A, 272, 294
Sekino H, 444
Shand DG, 566
Shapiro AP, 355
Share L, 572
Siervogel RM, 382
Silenzio R, 597
Sinaiko AR, 299
Singer F, 452
Sitar DS, 167
Sklov MC, 329
Slater E, 795
Sloan RS, 494, 805
Smeby RR, 604
Smirne S, 226
Smith EO, 710
Solomon H, 795
Songu-Mize E, 575
Sopko G, 299
Sowers JR, 424, 431, 686
Spadaro ACC, 178
Stallard TJ, 817
Stallones L, 483
Steiner RW, 51
Stern N, 686
Stevens RK, 894
Strasser R, 773
Sumners C, 888
Susic D, 681
Sustarsic DL, 20
Swales JD, 69, 238

T

Tajima J, 444
Takata Y, 590
Takeshita A, 288
Tanaka T, 272, 294
Tanase H, 864, 872
Tancredi O, 226
Taquini AC, 620
Tarazi RC, 84
Taylor JO, 307
Tewksbury DA, 729
Thomas CE, 58
Thurston H, 69, 238
Tibbs PA, 894
Tomanek RJ, 499
Tomita T, 556
Tosteson DC, 795
Tucker BJ, 51
Tunney A, 642
Tuomilehto J, 716
Tyroler HA, 710

V

Vandongen R, 642
Vanhoutte PM, 251
Velasquez M, 452
Verbeuren TJ, 251
Vierhapper H, 112
Villamil MF, 620
Vincent M, 325
Vlachakis ND, 452
Vlachis N, 686
Voors AW, 329

W

Waldhäusl W, 112
Wallis CJ, 827
Walter U, 205
Watson RDS, 817
Webb P, 382
Webb RC, 13, 609
Webber LS, 329
Weber PC, 477
Weidmann P, 697
Weyhenmeyer JA, 514
Whitfield LA, 424
Whitworth JA, 918
Wieth JO, 703
Wilhelmsen L, 692
Wilson CB, 51
Wilson TW, 634
Wolfsohn S, 341

Y

Yamori Y, 864, 872
Yano K, 406
Yoshinaga K, 444
Young DB, 279
Yutani C, 211

Z

Zanchetti A, 47
Ziegler W, 697
Zonnekeyn L, 251

Index to Volume 4

HYPERTENSION JANUARY-DECEMBER 1982

SUBJECT INDEX

A

Accelerated hypertension
Diazoxide concentration-response relation in hypertension, 167
Acebutolol
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320
Acid activation
Activation and reinactivation of inactive renin in normal human plasma, 102
The storage form of human renal renin, 211
Acid protease
Activation and reinactivation of inactive renin in normal human plasma, 102
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
ACTH, *see* Adrenocorticotropic hormone
Adaptive factor
The mosaic theory 32 years later, 177
Adipose tissue
Blood pressure, body composition and fat tissue cellularity in adults, 382
Adolescence
Blood pressure, fatness, and fat patterning among USA adolescents from two ethnic groups, 483
Adrenal medulla
Central effects of prostaglandin E_2 on blood pressure and plasma renin activity in rats. Role of the sympathoadrenal system and vasopressin, 809
Adrenergic mechanisms
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Decreased release of norepinephrine in the isolated kidney of the adult spontaneously hypertensive rat, 251
Effects of alpha- and beta-adrenergic stimulation. Letter, 338
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Adrenergic neuroeffector interaction
Decreased release of norepinephrine in the isolated kidney of the adult spontaneously hypertensive rat, 251
Adrenocorticotropic hormone
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Albumin
Sympathetic nerves protect the blood-brain barrier in stroke-prone spontaneously hypertensive rats, 904
Aldosterone
Aldosterone infusion into the rat and dose-dependent changes in blood pressure and arterial ionic transport, 374
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Experimental aldosterone hypertension in the dog, 279
Hypertensinogenic potencies of aldosterone and deoxycorticosterone in the rat, 140
Physiological concentrations of aldosterone in sodium-loaded rats, 918
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Renin-angiotensin and sympathetic nervous system activity in grade school children, 299
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Alpha-adrenergic response
Central pressor action of neurotensin in conscious rats, 888
Effect of in vitro administration of captopril on vascular reactivity of rat aorta, 118
Effects of alpha- and beta-adrenergic stimulation. Letter, 338
Renal alpha-adrenergic receptor abnormality in the spontaneously hypertensive rat, 881
Alpha methyldopa
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499
Ambulatory blood pressure
Cardiovascular response in black and white hypertensives, 817
Anatomical factors
Biological and cultural determinants of blood pressure, 725
Biological and social correlates of blood pressure among Japanese men in Hawaii, 406
The mosaic theory 32 years later, 177
Angiotensin-converting enzyme
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Potentiation of bradykinin by captopril during suppression of prostacyclin synthesis, 642
Angiotensin I
Brain endo-oligopeptidase B: a post-proline cleaving enzyme that inactivates angiotensin I and II, 178
Hyperreactivity to bradykinin and alterations in angiotensin I conversion and bradykinin inactivation in renal hypertensive rats, 77
Angiotensin II
Angiotensin-like immunoreactivity in the brain of the spontaneously hypertensive rat, 514
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Brain endo-oligopeptidase B: a post-proline cleaving enzyme that inactivates angiotensin I and II, 178
Central pressor action of neurotensin in conscious rats, 888
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Effect of inhibition of angiotensin II with captopril on renal overflow of norepinephrine, 257
Effect of lesions of the anteroventral third ventricle (AV3V) on the development of hypertension in spontaneously hypertensive rats, 387
Effects of chronic intracerebroventricular infusion of angiotensin II on arterial pressure and fluid homeostasis, 312
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764

Influence of forebrain periventricular lesions on the development of renal hypertension in rabbits, 155
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Regional changes in rat brain angiotensinogen following bilateral nephrectomy, 827
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
The role of calcium in the control of renin release, 670
Vascular wall renin in spontaneously hypertensive rats. Potential relevance to hypertension maintenance and antihypertensive effect of captopril, 487

Angiotensinase
Brain endo-oligopeptidase B: a post-proline cleaving enzyme that inactivates angiotensin I and II, 178

Angiotensinogen
High molecular weight angiotensinogen levels in hypertensive pregnant women, 729
Regional changes in rat brain angiotensinogen following bilateral nephrectomy, 827
Role of angiotensinogen in blood pressure homeostasis, 185

Animal studies, dog
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Effect of inhibition of angiotensin II with captopril on renal overflow of norepinephrine, 257
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Experimental aldosterone hypertension in the dog, 279
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782

Animal studies, goat
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341

Animal studies, monkey
Acute hypertension in a nonhuman primate: humoral and hemodynamic mechanisms, 219
Increased circulating levels of an endogenous digoxin-like factor in hypertensive monkeys, 348

Animal studies, pig
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782

Animal studies, rabbit
Brain endo-oligopeptidase B: a post-proline cleaving enzyme that inactivates angiotensin I and II, 178
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341
Effect of high and low sodium intake on norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit, 294
Effects of chronic intracerebroventricular infusion of angiotensin II on arterial pressure and fluid homeostasis, 312
Influence of forebrain periventricular lesions on the development of renal hypertension in rabbits, 155
Investigation of the presence of "renopressin" in kidney extracts from rabbit and rats, 198
Norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit during development of one-kidney and two-kidney Goldblatt hypertension, 272

Animal studies, rat
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
Aldosterone infusion into the rat and dose-dependent changes in blood pressure and arterial ionic transport, 374
Angiotensin-like immunoreactivity in the brain of the spontaneously hypertensive rat, 514
Anomalous response of urinary kallikrein to deoxycorticosterone in Dahl salt-sensitive rats, 20
Behaviorally selective cardiovascular hyperreactivity in spontaneously hypertensive rats. Evidence for hypoemotionality and enhanced appetitive motivation, 853
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Central effects of prostaglandin E_2 on blood pressure and plasma renin activity in rats. Role of the sympathoadrenal system and vasopressin, 809
Central pressor action of neurotensin in conscious rats, 888
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341
Contribution of the sympathetic nervous system to the hypertensive effect of a high sodium diet in stroke-prone spontaneously hypertensive rats, 773
Dahl salt-susceptible and salt-resistant rats. A review, 753
Decreased release of norepinephrine in the isolated kidney of the adult spontaneously hypertensive rat, 251
Effect of alterations in extracellular fluid volume on urinary kallikrein in the conscious rat, 625
Effect of AV3V lesions on development of DOCA-salt hypertension and vascular Na^+-pump activity, 575
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Effect of in vitro administration of captopril on vascular reactivity of rat aorta, 118
Effect of lesions of the anteroventral third ventricle (AV3V) on the development of hypertension in spontaneously hypertensive rats, 387
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Glomerular hemodynamics in moderate Goldblatt hypertension in the rat, 51
Heart size in inbred strains of rats. Part 1. Genetic determination of the development of cardiovascular enlargement in rats, 864
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Heparin lowers the blood pressure in hypertensive rats, 681
Hyperreactivity to bradykinin and alterations in angiotensin I conversion and bradykinin inactivation in renal hypertensive rats, 77
Hypertensinogenic potencies of aldosterone and deoxycorticosterone in the rat, 140
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Investigation of the presence of "renopressin" in kidney extracts from rabbit and rats, 198
Methionine enkephalinergic neuronal activity in cerebral nuclei of spontaneously hypertensive rats, 662
Microvascular blood flow in the normotensive and spontaneously hypertensive rat, 264
Neurohypophyseal response to dehydration in the spontaneously hypertensive rat, 161
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13

Physiological concentrations of aldosterone in sodium-loaded rats, 918
Potentiation of bradykinin by captopril during suppression of prostacyclin synthesis, 642
Proteins binding to kallikrein and esterase A2 in the urine of salt-sensitive and salt-resistant rats, 545
Regional changes in rat brain angiotensinogen following bilateral nephrectomy, 827
Renal alpha-adrenergic receptor abnormality in the spontaneously hypertensive rat, 881
Renal denervation at weaning retards development of hypertension in New Zealand genetically hypertensive rats, 361
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Role of angiotensinogen in blood pressure homeostasis, 185
The role of calcium in the control of renin release, 670
Role of extracellular volume expansion in the development of DOC-salt hypertension in the rat, 620
Salt excretion and vascular resistance of perfused kidneys of Dahl rats, 532
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556
Surgical reversal of two-kidney one clip hypertension during inhibition of the renin-angiotensin system, 69
Sympathetic nerves protect the blood-brain barrier in stroke-prone spontaneously hypertensive rats, 904
Time course of arterial wall changes with DOCA plus salt hypertension in the rat, 27
Urinary prostaglandins in the Lyon strains of hypertensive, normotensive, and low blood pressure rats, 325
Vascular wall renin in spontaneously hypertensive rats. Potential relevance to hypertension maintenance and antihypertensive effect of captopril, 487
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3

Anteroventral third cerebral ventricle
Effect of AV3V lesions on development of DOCA-salt hypertension and vascular Na^+-pump activity, 575
Effect of lesions of the anteroventral third ventricle (AV3V) on the development of hypertension in spontaneously hypertensive rats, 387
Influence of forebrain periventricular lesions on the development of renal hypertension in rabbits, 155

Antirenin antibody
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341

Aorta
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Heart size in inbred strains of rats. Part 1. Genetic determination of the development of cardiovascular enlargement in rats, 864
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132

Aortic rings, rat
Effect of in vitro administration of captopril on vascular reactivity of rat aorta, 118

Appetite
Behaviorally selective cardiovascular hyperreactivity in spontaneously hypertensive rats. Evidence for hypoemotionality and enhanced appetitive motivation, 853

Arginine vasopressin
Central effects of prostaglandin E_2 on blood pressure and plasma renin activity in rats. Role of the sympathoadrenal system and vasopressin, 809
Interaction of the sympathetic nervous system with vasopressin and renin in the maintenance of blood pressure, 400

Arterial baroreflex control
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47

Arterial pressure
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146
Behaviorally selective cardiovascular hyperreactivity in spontaneously hypertensive rats. Evidence for hypoemotionality and enhanced appetitive motivation, 853
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Effects of chronic intracerebroventricular infusion of angiotensin II on arterial pressure and fluid homeostasis, 312
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132

Arterial wall
Surgical reversal of two-kidney one clip hypertension during inhibition of the renin-angiotensin system, 69
Time course of arterial wall changes with DOCA plus salt hypertension in the rat, 27

Atheroma
Cardiovascular response in black and white hypertensives, 817

Atherosclerosis
Renovascular hypertension in black patients, 438

Autoregulation, renal
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Salt excretion and vascular resistance of perfused kidneys of Dahl rats, 532

B

Baroreceptor buffering
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556

Baroreceptor function
Plasma norepinephrine in the evaluation of baroreceptor function in humans, 566

Baroreceptor reflex
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Cardiovascular response in black and white hypertensives, 817
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47
Plasma norepinephrine in the evaluation of baroreceptor function in humans, 566

Baroreceptor resetting
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47

Behavioral consequences
Behavioral consequences of mild hypertension, 355
Cognitive processes in hypertension, 226

Beta-adrenergic stimulation
Effects of alpha- and beta-adrenergic stimulation. Letter, 338
Beta blockade
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Biochemical regulation
Book review: Biochemical Regulation of Blood Pressure, 337
Biological determinants, *see* Anatomical factors
Black population
Blood pressure, fatness, and fat patterning among USA adolescents from two ethnic groups, 483
Cardiovascular response in black and white hypertensives, 817
Renovascular hypertension in black patients, 438
Blood-brain barrier
Sympathetic nerves protect the blood-brain barrier in stroke-prone spontaneously hypertensive rats, 904
Blood flow
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Microvascular blood flow in the normotensive and spontaneously hypertensive rat, 264
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Blood pressure recording
Comparison of two automatic blood pressure records and the mercury sphygmomanometer, 329
WHO Workshop on the Methodology of Hypertension Cationic Markers Determination, 916
Blood pressure regulation
Book review: Biochemical Regulation of Blood Pressure, 337
Interaction of the sympathetic nervous system with vasopressin and renin in the maintenance of blood pressure, 400
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556
Blood vessel
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Blood volume
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Experimental aldosterone hypertension in the dog, 279
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Hypertension in obese patients: hemodynamic and volume studies, 84
Mechanisms for the elevation of blood pressure in human renal disease. Preliminary report, 839
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Body fluid volume
Role of extracellular volume expansion in the development of DOC-salt hypertension in the rat, 620
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Body mass
Blood pressure, body composition and fat tissue cellularity in adults, 382
Hypertension in obese patients: hemodynamic and volume studies, 84
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Body sodium
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Book review
Book review: Biochemical Regulation of Blood Pressure, 337
Borderline hypertension
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Effects of moderate salt restriction on intralymphocytic sodium and pressor response to stress in borderline hypertension, 789
Bradykinin
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Hyperreactivity to bradykinin and alterations in angiotensin I conversion and bradykinin inactivation in renal hypertensive rats, 77
Potentiation of bradykinin by captopril during suppression of prostacyclin synthesis, 642
Brain
Angiotensin-like immunoreactivity in the brain of the spontaneously hypertensive rat, 514
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Regional changes in rat brain angiotensinogen following bilateral nephrectomy, 827
Sympathetic nerves protect the blood-brain barrier in stroke-prone spontaneously hypertensive rats, 904
Brain endo-oligopeptidase B
Brain endo-oligopeptidase B: a post-proline cleaving enzyme that inactivates angiotensin I and II, 178
Brain lesion
Effect of lesions of the anteroventral third ventricle (AV3V) on the development of hypertension in spontaneously hypertensive rats, 387
Influence of forebrain periventricular lesions on the development of renal hypertension in rabbits, 155
Brain stem
Effect of high and low sodium intake on norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit, 294
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit during development of one-kidney and two-kidney Goldblatt hypertension, 272
Brattleboro rat
The Brattleboro rat and salt-induced hypertension. Letter, 572
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3
Breast cancer
Reserpine and breast cancer in the Hypertension Detection and Follow-Up Program, 307
Bromocriptine
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Bumetanide
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Calcium
The role of calcium in the control of renin release, 670
Cancer
Reserpine and breast cancer in the Hypertension Detection and Follow-Up Program, 307
Captopril
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Brain endo-oligopeptidase B: a post-proline cleaving enzyme that inactivates angiotensin I and II, 178
Effect of in vitro administration of captopril on vascular reactivity of rat aorta, 118
Effect of inhibition of angiotensin II with captopril on renal overflow of norepinephrine, 257
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Potentiation of bradykinin by captopril during suppression of prostacyclin synthesis, 642
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and

nephrectomy, 238
Vascular wall renin in spontaneously hypertensive rats. Potential relevance to hypertension maintenance and antihypertensive effect of captopril, 487
Cardiac output
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Cardiovascular response in black and white hypertensives, 817
Experimental aldosterone hypertension in the dog, 279
Heparin lowers the blood pressure in hypertensive rats, 681
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782
Cardiomegaly
Hypertensinogenic potencies of aldosterone and deoxycorticosterone in the rat, 140
Cardiopulmonary baroreflex control
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Hyperreactivity to bradykinin and alterations in angiotensin I conversion and bradykinin inactivation in renal hypertensive rats, 77
Cardiovascular effects
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320
Cardiovascular response in black and white hypertensives, 817
Heart size in inbred strains of rats. Part 1. Genetic determination of the development of cardiovascular enlargement in rats, 864
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Cardiovascular reflexes
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Cardiovascular tissue
Effect of high and low sodium intake on norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit, 294
Norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit during development of one-kidney and two-kidney Goldblatt hypertension, 272
Carotid baroreflex
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47
Effects of isometric exercise on the carotid baroreflex in hypertensive subjects, 245
Carotid sinus
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47
Effects of isometric exercise on the carotid baroreflex in hypertensive subjects, 245
Catecholamines
Blood pressure and hormone changes associated with weight reduction in the obese, 686
Blood pressure, heart rate, and plasma catecholamines in normal and hypertensive children and their siblings at rest and after standing, 507
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Dopamine surges in hyperadrenergic essential hypertension, 845
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Interaction of the sympathetic nervous system with vasopressin and renin in the maintenance of blood pressure, 400
Plasma norepinephrine in the evaluation of baroreceptor function in humans, 566
Release and vasoactive actions of catecholamines during inhibition of prostaglandin synthesis in normal man, 112
Sympathetic system function and vascular reactivity in hypercalcemic patients, 452
Cathepsin D
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Cation markers
WHO Workshop on the Methodology of Hypertension Cationic Markers Determination, 916
Cation transport
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
Cell culture
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
Cell volume
Heparin lowers the blood pressure in hypertensive rats, 681
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499
Time course of arterial wall changes with DOCA plus salt hypertension in the rat, 27
Central injection
Central effects of prostaglandin E_2 on blood pressure and plasma renin activity in rats. Role of the sympathoadrenal system and vasopressin, 809
Central noradrenergic nervous system
Central pressor action of neurotensin in conscious rats, 888
Decrease in hypothalamic norepinephrine content following renal denervation in the one-kidney one clip Goldblatt hypertensive rat Winternitz SR Katholi RE Oparil S, 369
Effect of lesions of the anteroventral third ventricle (AV3V) on the development of hypertension in spontaneously hypertensive rats, 387
Cerebellar tumor
Hypertension and neurofibromatosis. Case report, 894
Cerebrospinal fluid
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Childhood blood pressure
Blood pressure, heart rate, and plasma catecholamines in normal and hypertensive children and their siblings at rest and after standing, 507
Renin-angiotensin and sympathetic nervous system activity in grade school children, 299
Chloride
Overnight urine collections to estimate sodium intake, 494
Circadian rhythm
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Estimating dietary sodium intake in individuals receiving a randomly fluctuating intake, 805
Overnight urine collections to estimate sodium intake, 494
Circulatory filling pressure
Experimental aldosterone hypertension in the dog, 279
Classical conditioning
Behaviorally selective cardiovascular hyperreactivity in spontaneously hypertensive rats. Evidence for hypoemotionality and enhanced appetitive motivation, 853
Clinic attendance
Clinic attendance in the hypertension detection and follow-up program, 710
Clinical treatment
Antihypertensive drug treatment in a middle-aged population, 716
Diazoxide concentration-response relation in hypertension, 167
Management of patient compliance in the treatment of hypertension. Report of the NHLBI working group, 415
Prazosin plasma concentration and blood pressure reduction, 93
Reserpine and breast cancer in the Hypertension Detection and Follow-Up Program, 307

Coarctation hypertension
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146
Cognitive function
Cognitive processes in hypertension, 226
Cohort
Biological and social correlates of blood pressure among Japanese men in Hawaii, 406
Renovascular hypertension in black patients, 438
Colchicine
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Cold pressor test
Release and vasoactive actions of catecholamines during inhibition of prostaglandin synthesis in normal man, 112
Compliance
Clinic attendance in the hypertension detection and follow-up program, 710
Management of patient compliance in the treatment of hypertension. Report of the NHLBI working group, 415
Connective tissue
Time course of arterial wall changes with DOCA plus salt hypertension in the rat, 27
Converting-enzyme inhibition
Acute hypertension in a nonhuman primate: humoral and hemodynamic mechanisms, 219
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Hyperreactivity to bradykinin and alterations in angiotensin I conversion and bradykinin inactivation in renal hypertensive rats, 77
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Potentiation of bradykinin by captopril during suppression of prostacyclin synthesis, 642
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Cortisol
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Cotransport
Essential hypertension: sodium-lithium countertransport in erythrocytes from patients and from children having one hypertensive parent, 703
Red cell lithium-sodium countertransport and sodium-potassium cotransport in patients with essential hypertension, 795
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
Creatinine clearance
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Cremaster muscle
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Cryoactivation
Activation and reinactivation of inactive renin in normal human plasma, 102
Incomplete cryoactivation of human renin: a cause of confusion? Letter, 750
Cultural deteminants, *see* Sociocultural factors
Cytoplasmic microtubules
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676

D

D-600
The role of calcium in the control of renin release, 670
Dahl, Lewis K., M.D.
Dahl salt-susceptible and salt-resistant rats. A review, 753
Dahl rat
Anomalous response of urinary kallikrein to deoxycorticosterone in Dahl salt-sensitive rats, 20
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Dahl salt-susceptible and salt-resistant rats. A review, 753
Salt excretion and vascular resistance of perfused kidneys of Dahl rats, 532
Dehydration
Neurohypophyseal response to dehydration in the spontaneously hypertensive rat, 161
Deoxycorticosterone
Anomalous response of urinary kallikrein to deoxycorticosterone in Dahl salt-sensitive rats, 20
Hypertensinogenic potencies of aldosterone and deoxycorticosterone in the rat, 140
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Role of extracellular volume expansion in the development of DOC-salt hypertension in the rat, 620
Deoxyribonucleic acid (DNA)
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Dexamethasone
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
Diabetes, experimental
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556
Diabetes insipidus
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3
Diabetes, streptozotocin-induced
Tail-cuff blood pressure measurement without external preheating in awake rats, 898
Diazepam
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782
Diazoxide
Diazoxide concentration-response relation in hypertension, 167
Diet
Effects of moderate salt restriction on intralymphocytic sodium and pressor response to stress in borderline hypertension, 789
Estimating dietary sodium intake in individuals receiving a randomly fluctuating intake, 805
Digitalis-like factor
Increased circulating levels of an endogenous digoxin-like factor in hypertensive monkeys, 348
Diurnal rhythm
Overnight urine collections to estimate sodium intake, 494
DOCA hypertension
Aldosterone infusion into the rat and dose-dependent changes in blood pressure and arterial ionic transport, 374
The Brattleboro rat and salt-induced hypertension. Letter, 572
Effect of AV3V lesions on development of DOCA-salt hypertension and vascular Na^+-pump activity, 575
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13

Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Role of extracellular volume expansion in the development of DOC-salt hypertension in the rat, 620
Tail-cuff blood pressure measurement without external preheating in awake rats, 898
Time course of arterial wall changes with DOCA plus salt hypertension in the rat, 27
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3
Dog, *see* Animal studies, dog
Dopamine
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Dopamine surges in hyperadrenergic essential hypertension, 845
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Dopamine antagonist
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Dopamine-β-hydroxylase
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Dose guideline
Diazoxide concentration-response relation in hypertension, 167
Drug binding
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Drug toxicity
Reserpine and breast cancer in the Hypertension Detection and Follow-Up Program, 307
Drug treatment
Antihypertensive drug treatment in a middle-aged population, 716

E

Echocardiography
Left ventricular hypertrophy and function in high, normal, and low-renin forms of essential hypertension, 524
Editorial
1982: a critical year for hypertension, 1
Education
Management of patient compliance in the treatment of hypertension. Report of the NHLBI working group, 415
Electrogenic pump
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Electrolytes
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Effects of chronic intracerebroventricular infusion of angiotensin II on arterial pressure and fluid homeostasis, 312
Electrolyte and water balance in young spontaneously hypertensive rats, 908
Hypertensinogenic potencies of aldosterone and deoxycorticosterone in the rat, 140
Neurohypophyseal response to dehydration in the spontaneously hypertensive rat, 161
Time course of arterial wall changes with DOCA plus salt hypertension in the rat, 27
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Emotion
Behaviorally selective cardiovascular hyperreactivity in spontaneously hypertensive rats. Evidence for hypoemotionality and enhanced appetitive motivation, 853
Encephalopathy
Sympathetic nerves protect the blood-brain barrier in stroke-prone spontaneously hypertensive rats, 904
Endocrine factor
The mosaic theory 32 years later, 177
Endopeptidase
Brain endo-oligopeptidase B: a post-proline cleaving enzyme that inactivates angiotensin I and II, 178
Endoxin
Increased circulating levels of an endogenous digoxin-like factor in hypertensive monkeys, 348
Enkephalin
Methionine enkephalinergic neuronal activity in cerebral nuclei of spontaneously hypertensive rats, 662
Environmental factor
The mosaic theory 32 years later, 177
Enzymes, brain
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Epidemiology
Biological and social correlates of blood pressure among Japanese men in Hawaii, 406
Comparison of two automatic blood pressure records and the mercury sphygmomanometer, 329
Type of obesity and blood pressure, 692
Epinephrine
Blood pressure, heart rate, and plasma catecholamines in normal and hypertensive children and their siblings at rest and after standing, 507
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Release and vasoactive actions of catecholamines during inhibition of prostaglandin synthesis in normal man, 112
Erythrocytes
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Essential hypertension: sodium-lithium countertransport in erythrocytes from patients and from children having one hypertensive parent, 703
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
Essential hypertension
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Behavioral consequences of mild hypertension, 355
Blood pressure, body composition and fat tissue cellularity in adults, 382
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47
Dopamine surges in hyperadrenergic essential hypertension, 845
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Effects of isometric exercise on the carotid baroreflex in hypertensive subjects, 245
Essential hypertension: sodium-lithium countertransport in erythrocytes from patients and from children having one hypertensive parent, 703
Hypertension in obese patients: hemodynamic and volume studies, 84
Left ventricular hypertrophy and function in high, normal, and low-renin forms of essential hypertension, 524
Microvascular blood flow in the normotensive and spontaneously hypertensive rat, 264

Prazosin plasma concentration and blood pressure reduction, 93
Red cell lithium-sodium countertransport and sodium-potassium cotransport in patients with essential hypertension, 795
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477

Esterase A2
Proteins binding to kallikrein and esterase A2 in the urine of salt-sensitive and salt-resistant rats, 545

Esteroprotease
Proteins binding to kallikrein and esterase A2 in the urine of salt-sensitive and salt-resistant rats, 545

Ethics
Management of patient compliance in the treatment of hypertension. Report of the NHLBI working group, 415

Exercise
Cardiovascular response in black and white hypertensives, 817
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Effects of isometric exercise on the carotid baroreflex in hypertensive subjects, 245

Extracellular fluid volume
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146
Effect of alterations in extracellular fluid volume on urinary kallikrein in the conscious rat, 625
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Role of extracellular volume expansion in the development of DOC-salt hypertension in the rat, 620
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Time course of arterial wall changes with DOCA plus salt hypertension in the rat, 27

F

Fat cells
Blood pressure, body composition and fat tissue cellularity in adults, 382
Blood pressure, fatness, and fat patterning among USA adolescents from two ethnic groups, 483
Hypertension in obese patients: hemodynamic and volume studies, 84
Type of obesity and blood pressure, 692

Fat patterning
Blood pressure, fatness, and fat patterning among USA adolescents from two ethnic groups, 483

Femoral artery
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609

Fibromuscular hyperplasia
Renovascular hypertension in black patients, 438

Finland
Antihypertensive drug treatment in a middle-aged population, 716

Fluid/electrolyte balance
Effects of chronic intracerebroventricular infusion of angiotensin II on arterial pressure and fluid homeostasis, 312
Neurohypophyseal response to dehydration in the spontaneously hypertensive rat, 161

Forearm blood flow
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320

Forebrain periventricular lesion
Influence of forebrain periventricular lesions on the development of renal hypertension in rabbits, 155

Furosemide
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468

G

Genetic factors
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
Biological and cultural determinants of blood pressure, 725
Blood pressure, heart rate, and plasma catecholamines in normal and hypertensive children and their siblings at rest and after standing, 507
Cardiovascular response in black and white hypertensives, 817
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Essential hypertension: sodium-lithium countertransport in erythrocytes from patients and from children having one hypertensive parent, 703
A genetic locus (*Hyp-2*) controlling vascular smooth muscle response in spontaneously hypertensive rats, 459
Heart size in inbred strains of rats. Part 1. Genetic determination of the development of cardiovascular enlargement in rats, 864
The mosaic theory 32 years later, 177
Proteins binding to kallikrein and esterase A2 in the urine of salt-sensitive and salt-resistant rats, 545
Renal denervation at weaning retards development of hypertension in New Zealand genetically hypertensive rats, 361
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499

Glioblastoma multiforme
Hypertension and neurofibromatosis. Case report, 894

Glomerular hemodynamics
Glomerular hemodynamics in moderate Goldblatt hypertension in the rat, 51
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58

Glucose metabolism
Type of obesity and blood pressure, 692

Goat, *see* Animal studies, goat

Goldblatt hypertension
Decrease in hypothalamic norepinephrine content following renal denervation in the one-kidney one clip Goldblatt hypertensive rat Winternitz SR Katholi RE Oparil S, 369
Glomerular hemodynamics in moderate Goldblatt hypertension in the rat, 51
Heparin lowers the blood pressure in hypertensive rats, 681
Increased circulating levels of an endogenous digoxin-like factor in hypertensive monkeys, 348
Norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit during development of one-kidney and two-kidney Goldblatt hypertension, 272
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Surgical reversal of two-kidney one clip hypertension during inhibition of the renin-angiotensin system, 69

H

Hawaii
Biological and social correlates of blood pressure among Japanese men in Hawaii, 406
Health survey
Antihypertensive drug treatment in a middle-aged population, 716
Heart rate
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Blood pressure, heart rate, and plasma catecholamines in normal and hypertensive children and their siblings at rest and after standing, 507
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47
Effects of isometric exercise on the carotid baroreflex in hypertensive subjects, 245
Heart size
Heart size in inbred strains of rats. Part 1. Genetic determination of the development of cardiovascular enlargement in rats, 864
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Hematocrit
Heparin lowers the blood pressure in hypertensive rats, 681
Hemodynamics
Acute hypertension in a nonhuman primate: humoral and hemodynamic mechanisms, 219
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Hypertension in obese patients: hemodynamic and volume studies, 84
Mechanisms for the elevation of blood pressure in human renal disease. Preliminary report, 839
The mosaic theory 32 years later, 177
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Heparin
Heparin lowers the blood pressure in hypertensive rats, 681
Heritability
Biological and cultural determinants of blood pressure, 725
High molecular weight angiotensinogen
High molecular weight angiotensinogen levels in hypertensive pregnant women, 729
Hindquarters vascular resistance
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782
Hog, *see* Animal studies, pig
Homeostasis
Effects of chronic intracerebroventricular infusion of angiotensin II on arterial pressure and fluid homeostasis, 312
Mechanisms for the elevation of blood pressure in human renal disease. Preliminary report, 839
Role of angiotensinogen in blood pressure homeostasis, 185
Hormonal response
Blood pressure and hormone changes associated with weight reduction in the obese, 686
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Humoral factor
Investigation of the presence of "renopressin" in kidney extracts from rabbit and rats, 198
The mosaic theory 32 years later, 177
Hydrochlorothiazide
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320
Hydroxydopamine
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Hyp-2
A genetic locus (*Hyp-2*) controlling vascular smooth muscle response in spontaneously hypertensive rats, 459
Hypercalcemia
Sympathetic system function and vascular reactivity in hypercalcemic patients, 452
Hyperplasia
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Renovascular hypertension in black patients, 438
Hyperreactivity
Hyperreactivity to bradykinin and alterations in angiotensin I conversion and bradykinin inactivation in renal hypertensive rats, 77
Hypertension Detection and Follow-Up Program
Clinic attendance in the hypertension detection and follow-up program, 710
Reserpine and breast cancer in the Hypertension Detection and Follow-Up Program, 307
Hypertension journal
1982: a critical year for hypertension, 1
Hypertrophy
Heart size in inbred strains of rats. Part 1. Genetic determination of the development of cardiovascular enlargement in rats, 864
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Left ventricular hypertrophy and function in high, normal, and low-renin forms of essential hypertension, 524
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499
Type of obesity and blood pressure, 692
Hypoemotionality
Behaviorally selective cardiovascular hyperreactivity in spontaneously hypertensive rats. Evidence for hypoemotionality and enhanced appetitive motivation, 853
Hypothalamus
Decrease in hypothalamic norepinephrine content following renal denervation in the one-kidney one clip Goldblatt hypertensive rat Winternitz SR Katholi RE Oparil S, 369
Influence of forebrain periventricular lesions on the development of renal hypertension in rabbits, 155
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556

I

Immunochemistry
Angiotensin-like immunoreactivity in the brain of the spontaneously hypertensive rat, 514
Indomethacin
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Potentiation of bradykinin by captopril during suppression of prostacyclin synthesis, 642
Release and vasoactive actions of catecholamines during inhibition of prostaglandin synthesis in normal man, 112
Inflatable suit
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782
International units (IU)
Strange companionship. Letter, 751

Intracellular sodium
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Intracerebroventricular infusion
Effects of chronic intracerebroventricular infusion of angiotensin II on arterial pressure and fluid homeostasis, 312
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Inulin space
Regional changes in rat brain angiotensinogen following bilateral nephrectomy, 827
Ion transport
Aldosterone infusion into the rat and dose-dependent changes in blood pressure and arterial ionic transport, 374
Isometric exercise
Cardiovascular response in black and white hypertensives, 817
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Effects of isometric exercise on the carotid baroreflex in hypertensive subjects, 245
Isoproterenol
The role of calcium in the control of renin release, 670
Isorenin
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604

J

Japanese immigrants
Biological and social correlates of blood pressure among Japanese men in Hawaii, 406

K

Kallikrein
Activation and reinactivation of inactive renin in normal human plasma, 102
Anomalous response of urinary kallikrein to deoxycorticosterone in Dahl salt-sensitive rats, 20
Effect of alterations in extracellular fluid volume on urinary kallikrein in the conscious rat, 625
Proteins binding to kallikrein and esterase A2 in the urine of salt-sensitive and salt-resistant rats, 545
Renal denervation at weaning retards development of hypertension in New Zealand genetically hypertensive rats, 361
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Keto-prostaglandin $F_{1\alpha}$
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Kidney
Anomalous response of urinary kallikrein to deoxycorticosterone in Dahl salt-sensitive rats, 20
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Decreased release of norepinephrine in the isolated kidney of the adult spontaneously hypertensive rat, 251
Effect of alterations in extracellular fluid volume on urinary kallikrein in the conscious rat, 625
Electrolyte and water balance in young spontaneously hypertensive rats, 908
Glomerular hemodynamics in moderate Goldblatt hypertension in the rat, 51
Investigation of the presence of "renopressin" in kidney extracts from rabbit and rats, 198
Mechanisms for the elevation of blood pressure in human renal disease. Preliminary report, 839
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13
Renal alpha-adrenergic receptor abnormality in the spontaneously hypertensive rat, 881
Renal response to propranolol treatment in hypertensive humans, 125
Renovascular hypertension in black patients, 438
The role of calcium in the control of renin release, 670
Salt excretion and vascular resistance of perfused kidneys of Dahl rats, 532
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
The storage form of human renal renin, 211
Urinary prostaglandins in the Lyon strains of hypertensive, normotensive, and low blood pressure rats, 325
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3
Kininase II
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590

L

Left ventricular hypertrophy
Left ventricular hypertrophy and function in high, normal, and low-renin forms of essential hypertension, 524
Letter to the editor
The Brattleboro rat and salt-induced hypertension. Letter, 572
Effects of alpha- and beta-adrenergic stimulation. Letter, 338
Incomplete cryoactivation of human renin: a cause of confusion? Letter, 750
Physiological concentrations of aldosterone in sodium-loaded rats. Letter, 918
Strange companionship. Letter, 751
Leucocytes
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Life table applications
Clinic attendance in the hypertension detection and follow-up program, 710
Lithium
Essential hypertension: sodium-lithium countertransport in erythrocytes from patients and from children having one hypertensive parent, 703
Red cell lithium-sodium countertransport and sodium-potassium cotransport in patients with essential hypertension, 795
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
Low renin hyperplasia
Left ventricular hypertrophy and function in high, normal, and low-renin forms of essential hypertension, 524
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
Lower body pressure
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782

Lumicolchicine
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Lymphocytes
Effects of moderate salt restriction on intralymphocytic sodium and pressor response to stress in borderline hypertension, 789
Lyon rat
Urinary prostaglandins in the Lyon strains of hypertensive, normotensive, and low blood pressure rats, 325

M

Mesenteric artery
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Metabolites
Sympathetic system function and vascular reactivity in hypercalcemic patients, 452
Methionine
Methionine enkephalinergic neuronal activity in cerebral nuclei of spontaneously hypertensive rats, 662
Metoclopramide
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Microcirculation
Microvascular blood flow in the normotensive and spontaneously hypertensive rat, 264
Micropunch dissection
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Micropuncture
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Microtubules
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Middle age
Antihypertensive drug treatment in a middle-aged population, 716
Migration
Biological and social correlates of blood pressure among Japanese men in Hawaii, 406
Mild hypertension
Behavioral consequences of mild hypertension, 355
Mineralocorticoids
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
Hypertensinogenic potencies of aldosterone and deoxycorticosterone in the rat, 140
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Minneapolis public schools survey
Renin-angiotensin and sympathetic nervous system activity in grade school children, 299
Monkey, *see* Animal studies, monkey
Mosaic theory
The mosaic theory 32 years later, 177
Myocardial cell components
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499
Myofibrillar growth
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499

N

Na,K-ATPase
Effect of AV3V lesions on development of DOCA-salt hypertension and vascular Na^+-pump activity, 575
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Increased circulating levels of an endogenous digoxin-like factor in hypertensive monkeys, 348
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
National Heart, Lung, and Blood Institute
Management of patient compliance in the treatment of hypertension. Report of the NHLBI working group, 415
Natriuretic hormone
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Increased circulating levels of an endogenous digoxin-like factor in hypertensive monkeys, 348
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Natural behavior
Behaviorally selective cardiovascular hyperreactivity in spontaneously hypertensive rats. Evidence for hypoemotionality and enhanced appetitive motivation, 853
Neck chamber
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47
Neck pressure
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Nephrectomy
Regional changes in rat brain angiotensinogen following bilateral nephrectomy, 827
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Nephron filtration rate
Glomerular hemodynamics in moderate Goldblatt hypertension in the rat, 51
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Neural factors
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Methionine enkephalinergic neuronal activity in cerebral nuclei of spontaneously hypertensive rats, 662
The mosaic theory 32 years later, 177
Norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit during development of one-kidney and two-kidney Goldblatt hypertension, 272
Neurofibromatosis
Hypertension and neurofibromatosis. Case report, 894
Neurohypophyseal response
Neurohypophyseal response to dehydration in the spontaneously hypertensive rat, 161
Neuronal uptake
Decreased release of norepinephrine in the isolated kidney of the adult spontaneously hypertensive rat, 251
Methionine enkephalinergic neuronal activity in cerebral nuclei of spontaneously hypertensive rats, 662
Neuropsychological tests
Behavioral consequences of mild hypertension, 355
Cognitive processes in hypertension, 226
Neurotensin
Central pressor action of neurotensin in conscious rats, 888
New Zealand rat
Renal denervation at weaning retards development of hypertension in New Zealand genetically hypertensive rats, 361

Nitroprusside
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13
Tail-cuff blood pressure measurement without external preheating in awake rats, 898
Nocturnal sodium
Estimating dietary sodium intake in individuals receiving a randomly fluctuating intake, 805
Noradrenergic neurons
Norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit during development of one-kidney and two-kidney Goldblatt hypertension, 272
Norepinephrine
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Blood pressure, heart rate, and plasma catecholamines in normal and hypertensive children and their siblings at rest and after standing, 507
Catecholamines in discrete kidney regions. Changes in salt-sensitive Dahl hypertensive rats, 821
Contribution of the sympathetic nervous system to the hypertensive effect of a high sodium diet in stroke-prone spontaneously hypertensive rats, 773
Decrease in hypothalamic norepinephrine content following renal denervation in the one-kidney one clip Goldblatt hypertensive rat Winternitz SR Katholi RE Oparil S, 369
Decreased release of norepinephrine in the isolated kidney of the adult spontaneously hypertensive rat, 251
Effect of high and low sodium intake on norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit, 294
Effect of inhibition of angiotensin II with captopril on renal overflow of norepinephrine, 257
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13
Norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit during development of one-kidney and two-kidney Goldblatt hypertension, 272
Plasma norepinephrine in the evaluation of baroreceptor function in humans, 566
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Release and vasoactive actions of catecholamines during inhibition of prostaglandin synthesis in normal man, 112
Renin-angiotensin and sympathetic nervous system activity in grade school children, 299
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782
Sympathetic system function and vascular reactivity in hypercalcemic patients, 452
Tail-cuff blood pressure measurement without external preheating in awake rats, 898
Normal blood pressure
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Note of thanks to reviewers, 174
Nutrition
Overnight urine collections to estimate sodium intake, 494

O

Obesity
Blood pressure and hormone changes associated with weight reduction in the obese, 686
Blood pressure, fatness, and fat patterning among USA adolescents from two ethnic groups, 483
Hypertension in obese patients: hemodynamic and volume studies, 84
Type of obesity and blood pressure, 692
Offspring
Essential hypertension: sodium-lithium countertransport in erythrocytes from patients and from children having one hypertensive parent, 703
Orthostasis
Release and vasoactive actions of catecholamines during inhibition of prostaglandin synthesis in normal man, 112
Orthostatic stress
Blood pressure, heart rate, and plasma catecholamines in normal and hypertensive children and their siblings at rest and after standing, 507
Osmotic minipumps
Hypertensinogenic potencies of aldosterone and deoxycorticosterone in the rat, 140
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Ouabain
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Oxytocin
Neurohypophyseal response to dehydration in the spontaneously hypertensive rat, 161

P

Path analysis
Biological and cultural determinants of blood pressure, 725
Peptides
Central pressor action of neurotensin in conscious rats, 888
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Peripheral circulation
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Peripheral resistance
Heparin lowers the blood pressure in hypertensive rats, 681
Pharmacokinetics
Diazoxide concentration-response relation in hypertension, 167
Prazosin plasma concentration and blood pressure reduction, 93
Phase rule
The mosaic theory 32 years later, 177
Phloretin
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Physiometrics automatic blood pressure recorder
Comparison of two automatic blood pressure records and the mercury sphygmomanometer, 329
Pig, *see* Animal studies, pig
Piretanide
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Pithed rat
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Pitressin
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Plasma renin activity
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146

Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Central effects of prostaglandin E_2 on blood pressure and plasma renin activity in rats. Role of the sympathoadrenal system and vasopressin, 809
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Vascular wall renin in spontaneously hypertensive rats. Potential relevance to hypertension maintenance and antihypertensive effect of captopril, 487

Plasma volume
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742

Polydipsia
Hypertensinogenic potencies of aldosterone and deoxycorticosterone in the rat, 140

Posture
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424

Potassium
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Effect of alterations in extracellular fluid volume on urinary kallikrein in the conscious rat, 625
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477

Potassium relaxation
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609

Prazosin
Prazosin plasma concentration and blood pressure reduction, 93

Pregnancy
High molecular weight angiotensinogen levels in hypertensive pregnant women, 729

Pressor response
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Cardiovascular response in black and white hypertensives, 817
Central pressor action of neurotensin in conscious rats, 888
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424
Effect of AV3V lesions on development of DOCA-salt hypertension and vascular Na^+-pump activity, 575
Effects of moderate salt restriction on intralymphocytic sodium and pressor response to stress in borderline hypertension, 789
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556

Prolactin
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Dopaminergic modulation of pressor and hormonal responses in essential hypertension, 424

Propranolol
Renal response to propranolol treatment in hypertensive humans, 125
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742

Prostacyclin
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Potentiation of bradykinin by captopril during suppression of prostacyclin synthesis, 642

Prostaglandins
Central effects of prostaglandin E_2 on blood pressure and plasma renin activity in rats. Role of the sympathoadrenal system and vasopressin, 809
Effect of inhibition of angiotensin II with captopril on renal overflow of norepinephrine, 257
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Release and vasoactive actions of catecholamines during inhibition of prostaglandin synthesis in normal man, 112
Renal denervation at weaning retards development of hypertension in New Zealand genetically hypertensive rats, 361
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Urinary prostaglandins in the Lyon strains of hypertensive, normotensive, and low blood pressure rats, 325

Protein
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468

Pseudopheochromocytoma
Dopamine surges in hyperadrenergic essential hypertension, 845

Psychological tests
Behavioral consequences of mild hypertension, 355
Cognitive processes in hypertension, 226

Public health
Management of patient compliance in the treatment of hypertension. Report of the NHLBI working group, 415

Pulmonary circulation
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Hyperreactivity to bradykinin and alterations in angiotensin I conversion and bradykinin inactivation in renal hypertensive rats, 77

Rabbit, *see* Animal studies, rabbit

R

Radioligand
Renal alpha-adrenergic receptor abnormality in the spontaneously hypertensive rat, 881

Rat, *see* Animal studies, rat

Rb uptake
Effect of AV3V lesions on development of DOCA-salt hypertension and vascular Na^+-pump activity, 575

Red blood cells
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Essential hypertension: sodium-lithium countertransport in erythrocytes from patients and from children having one hypertensive parent, 703

Reflex cardiac control
Cardiovascular response in black and white hypertensives, 817

Regional blood flow
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Renal artery
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Renal blood flow
Effect of inhibition of angiotensin II with captopril on renal overflow of norepinephrine, 257
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Renal response to propranolol treatment in hypertensive humans, 125
Renal disease
Mechanisms for the elevation of blood pressure in human renal disease. Preliminary report, 839
Renal failure
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Renal hemodynamics
Experimental aldosterone hypertension in the dog, 279
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Mechanisms for the elevation of blood pressure in human renal disease. Preliminary report, 839
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13
Renal alpha-adrenergic receptor abnormality in the spontaneously hypertensive rat, 881
Renal response to propranolol treatment in hypertensive humans, 125
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3
Renal hypertension
Carotid sinus baroreceptor control of arterial pressure in renovascular hypertensive subjects, 47
Decrease in hypothalamic norepinephrine content following renal denervation in the one-kidney one clip Goldblatt hypertensive rat Winternitz SR Katholi RE Oparil S, 369
Hyperreactivity to bradykinin and alterations in angiotensin I conversion and bradykinin inactivation in renal hypertensive rats, 77
Influence of forebrain periventricular lesions on the development of renal hypertension in rabbits, 155
Investigation of the presence of "renopressin" in kidney extracts from rabbit and rats, 198
Mechanisms for the elevation of blood pressure in human renal disease. Preliminary report, 839
Renovascular hypertension in black patients, 438
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Renal nerves
Decrease in hypothalamic norepinephrine content following renal denervation in the one-kidney one clip Goldblatt hypertensive rat Winternitz SR Katholi RE Oparil S, 369
Decreased release of norepinephrine in the isolated kidney of the adult spontaneously hypertensive rat, 251
Effect of inhibition of angiotensin II with captopril on renal overflow of norepinephrine, 257
Renal denervation at weaning retards development of hypertension in New Zealand genetically hypertensive rats, 361
Renal vascular resistance
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Salt excretion and vascular resistance of perfused kidneys of Dahl rats, 532
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3
Renin
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Incomplete cryoactivation of human renin: a cause of confusion? Letter, 750
Interaction of the sympathetic nervous system with vasopressin and renin in the maintenance of blood pressure, 400
Left ventricular hypertrophy and function in high, normal, and low-renin forms of essential hypertension, 524
Mechanisms for the elevation of blood pressure in human renal disease. Preliminary report, 839
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Renal response to propranolol treatment in hypertensive humans, 125
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
The storage form of human renal renin, 211
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Vascular wall renin in spontaneously hypertensive rats. Potential relevance to hypertension maintenance and antihypertensive effect of captopril, 487
Renin-angiotensin-aldosterone system
Acute hypertension in a nonhuman primate: humoral and hemodynamic mechanisms, 219
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Interaction of the sympathetic nervous system with vasopressin and renin in the maintenance of blood pressure, 400
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Renin-angiotensin and sympathetic nervous system activity in grade school children, 299
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Surgical reversal of two-kidney one clip hypertension during inhibition of the renin-angiotensin system, 69
Renin Fab fragment
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341
Renin granules
The storage form of human renal renin, 211
Renin, inactive
Activation and reinactivation of inactive renin in normal human plasma, 102
The storage form of human renal renin, 211
Renin interspecies homology
Characterization of antibodies to canine renal renin. Studies of interspecies homology of renin using antibodies as probe, 341
Renin release
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
The role of calcium in the control of renin release, 670
Renopressin
Investigation of the presence of "renopressin" in kidney extracts from rabbit and rats, 198
Reserpine
Reserpine and breast cancer in the Hypertension Detection and Follow-Up Program, 307
Resistance vessels
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581

Ribonucleic acid (RNA)
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Right atrial pressure
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782

S

Salt loading
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Contribution of the sympathetic nervous system to the hypertensive effect of a high sodium diet in stroke-prone spontaneously hypertensive rats, 773
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Physiological concentrations of aldosterone in sodium-loaded rats, 918
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Salt restriction
Effects of moderate salt restriction on intralymphocytic sodium and pressor response to stress in borderline hypertension, 789
Electrolyte and water balance in young spontaneously hypertensive rats, 908
Estimating dietary sodium intake in individuals receiving a randomly fluctuating intake, 805
Salt sensitivity index
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Saralasin
Effect of lesions of the anteroventral third ventricle (AV3V) on the development of hypertension in spontaneously hypertensive rats, 387
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Secretion
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Sleep
Estimating dietary sodium intake in individuals receiving a randomly fluctuating intake, 805
Smooth muscle
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
Aldosterone infusion into the rat and dose-dependent changes in blood pressure and arterial ionic transport, 374
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
A genetic locus (*Hyp-2*) controlling vascular smooth muscle response in spontaneously hypertensive rats, 459
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Time course of arterial wall changes with DOCA plus salt hypertension in the rat, 27
Sociocultural factors
Biological and cultural determinants of blood pressure, 725
Biological and social correlates of blood pressure among Japanese men in Hawaii, 406
Sodium balance
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Renal denervation at weaning retards development of hypertension in New Zealand genetically hypertensive rats, 361
Sodium depletion
Effects of chronic sodium depletion on canine brain renin and cathepsin D activities, 604
Sodium efflux
Abnormal sodium efflux in erythrocytes of patients with essential hypertension, 205
Sodium excretion
Effect of alterations in extracellular fluid volume on urinary kallikrein in the conscious rat, 625
Electrolyte and water balance in young spontaneously hypertensive rats, 908
Salt excretion and vascular resistance of perfused kidneys of Dahl rats, 532
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Urinary kallikrein activity, renal hemodynamics, and electrolyte handling during chronic beta blockade with propranolol in hypertension, 742
Sodium homeostasis
Effects of moderate salt restriction on intralymphocytic sodium and pressor response to stress in borderline hypertension, 789
Sodium intake
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Contribution of the sympathetic nervous system to the hypertensive effect of a high sodium diet in stroke-prone spontaneously hypertensive rats, 773
Effect of high and low sodium intake on norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit, 294
Estimating dietary sodium intake in individuals receiving a randomly fluctuating intake, 805
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Overnight urine collections to estimate sodium intake, 494
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Sodium-lithium exchange
Essential hypertension: sodium-lithium countertransport in erythrocytes from patients and from children having one hypertensive parent, 703
Red cell lithium-sodium countertransport and sodium-potassium cotransport in patients with essential hypertension, 795
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
Sodium nitroprusside
Tail-cuff blood pressure measurement without external preheating in awake rats, 898
Sodium-potassium cotransport
Red cell lithium-sodium countertransport and sodium-potassium cotransport in patients with essential hypertension, 795
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 1: Evaluation of a simple uptake test to assess the activity of the two transport systems, 468
Sodium-lithium exchange and sodium-potassium cotransport in human erythrocytes. Part 2: A simple uptake test applied to normotensive and essential hypertensive individuals, 477
Sodium pump
Effect of AV3V lesions on development of DOCA-salt hypertension and vascular Na^+-pump activity, 575
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609

Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Sodium status
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Role of angiotensinogen in blood pressure homeostasis, 185
Sodium transport
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Sphygmomanometer
Comparison of two automatic blood pressure records and the mercury sphygmomanometer, 329
Spontaneously hypertensive rat (SHR)
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
Angiotensin-like immunoreactivity in the brain of the spontaneously hypertensive rat, 514
Behaviorally selective cardiovascular hyperreactivity in spontaneously hypertensive rats. Evidence for hypoemotionality and enhanced appetitive motivation, 853
Contribution of the sympathetic nervous system to the hypertensive effect of a high sodium diet in stroke-prone spontaneously hypertensive rats, 773
Decreased release of norepinephrine in the isolated kidney of the adult spontaneously hypertensive rat, 251
Effect of lesions of the anteroventral third ventricle (AV3V) on the development of hypertension in spontaneously hypertensive rats, 387
Electrolyte and water balance in young spontaneously hypertensive rats, 908
A genetic locus (*Hyp-2*) controlling vascular smooth muscle response in spontaneously hypertensive rats, 459
Heart size in inbred strains of rats. Part 1. Genetic determination of the development of cardiovascular enlargement in rats, 864
Heart size in inbred strains of rats. Part 2. Cardiovascular DNA and RNA contents during the development of cardiac enlargement in rats, 872
Heparin lowers the blood pressure in hypertensive rats, 681
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Methionine enkephalinergic neuronal activity in cerebral nuclei of spontaneously hypertensive rats, 662
Neurohypophyseal response to dehydration in the spontaneously hypertensive rat, 161
Proteins binding to kallikrein and esterase A2 in the urine of salt-sensitive and salt-resistant rats, 545
Renal alpha-adrenergic receptor abnormality in the spontaneously hypertensive rat, 881
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499
Sympathetic nerves protect the blood-brain barrier in stroke-prone spontaneously hypertensive rats, 904
Urinary prostaglandins in the Lyon strains of hypertensive, normotensive, and low blood pressure rats, 325
Vascular wall renin in spontaneously hypertensive rats. Potential relevance to hypertension maintenance and antihypertensive effect of captopril, 487
SQ 20,881
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146
Brain endo-oligopeptidase B: a post-proline cleaving enzyme that inactivates angiotensin I and II, 178
Steady state concentration response
Diazoxide concentration-response relation in hypertension, 167
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Stereology
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499
Steroid hypertension
Responsiveness to pressor agents in experimental renovascular and steroid hypertension. Effects of converting enzyme inhibitor and nephrectomy, 238
Streptozotocin
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556
Streptozotocin-induced diabetes
Tail-cuff blood pressure measurement without external preheating in awake rats, 898
Stress
Effects of moderate salt restriction on intralymphocytic sodium and pressor response to stress in borderline hypertension, 789
Stroke
Sympathetic nerves protect the blood-brain barrier in stroke-prone spontaneously hypertensive rats, 904
Surgical reversal of hypertension
Surgical reversal of two-kidney one clip hypertension during inhibition of the renin-angiotensin system, 69
Sympathetic nervous system
Blood pressure, heart rate, and plasma catecholamines in normal and hypertensive children and their siblings at rest and after standing, 507
Central effects of prostaglandin E_2 on blood pressure and plasma renin activity in rats. Role of the sympathoadrenal system and vasopressin, 809
Contribution of the sympathetic nervous system to the hypertensive effect of a high sodium diet in stroke-prone spontaneously hypertensive rats, 773
Effect of high and low sodium intake on norepinephrine turnover in the cardiovascular tissues and brain stem of the rabbit, 294
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Interaction of the sympathetic nervous system with vasopressin and renin in the maintenance of blood pressure, 400
Plasma norepinephrine in the evaluation of baroreceptor function in humans, 566
Renin-angiotensin and sympathetic nervous system activity in grade school children, 299
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556
Sympathetic nerves protect the blood-brain barrier in stroke-prone spontaneously hypertensive rats, 904
Sympathetic system function and vascular reactivity in hypercalcemic patients, 452
Systolic pressure
Tail-cuff blood pressure measurement without external preheating in awake rats, 898

T

Tail artery
Effect of AV3V lesions on development of DOCA-salt hypertension and vascular Na^+-pump activity, 575
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Function of the sodium pump in arterial smooth muscle in experimental hypertension: role of pressure, 394
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13
Potassium relaxation of vascular smooth muscle from DOCA hypertensive pigs, 609
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132
Tail-cuff blood pressure measurement without external preheating in awake rats, 898

Tension-time index
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320
Teprotide
Cardiovascular responses to isometric exercise and standing in normotensive subjects during converting enzyme inhibition with teprotide, 538
Thirst
Modulation of brain angiotensin-converting enzyme by dietary sodium and chronic intravenous and intracerebroventricular infusion of angiotensin II, 590
Thoracic aorta banding
Acute responses of arterial pressure and plasma renin activity to converting enzyme inhibition (SQ 20,881) in serially studied dogs with neonatally-induced coarctation hypertension, 146
Thromboxane
Urinary excretion of prostaglandin E_2, prostaglandin $F_{2\alpha}$, and thromboxane B_2 in normotensive and hypertensive subjects on varying sodium intakes, 735
Thyrotropin-releasing hormone
Central pressor action of neurotensin in conscious rats, 888
Tissue-capillary filtration
Salt sensitivity of blood pressure in chronic renal failure. Evidence for renal control of body fluid distribution in man, 190
Transmembrane sodium gradient
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Trypsin
The storage form of human renal renin, 211
Tuberoinfundibular-dopaminergic system
Dopaminergic control of prolactin and blood pressure: altered control in essential hypertension, 431
Tubule pressure
Anomalous response of urinary kallikrein to deoxycorticosterone in Dahl salt-sensitive rats, 20
Effect of colchicine on drug-induced changes in plasma renin concentration in rats, 676
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Two compartment regression model
Clinic attendance in the hypertension detection and follow-up program, 710

U

Ultrastructure
Selective effects of α-methyldopa on myocardial cell components independent of cell size in normotensive and genetically hypertensive rats, 499
Unanesthetized rats
Tail-cuff blood pressure measurement without external preheating in awake rats, 898
Urinary excretion
Biological and cultural determinants of blood pressure, 725
Overnight urine collections to estimate sodium intake, 494
Proteins binding to kallikrein and esterase A2 in the urine of salt-sensitive and salt-resistant rats, 545
Urinary prostaglandins in the Lyon strains of hypertensive, normotensive, and low blood pressure rats, 325

V

Vascular cations
Evidence for an enhanced transmembrane sodium (Na^+) gradient induced by aldosterone in the incubated rat tail artery, 230
Vascular disease
Renovascular hypertension in black patients, 438
Vascular reactivity
Acute hypertension in a nonhuman primate: humoral and hemodynamic mechanisms, 219
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Anomalous response of urinary kallikrein to deoxycorticosterone in Dahl salt-sensitive rats, 20
Attenuation of pressor responses to norepinephrine and pitressin and potentiation of pressor response to angiotensin II by captopril in human subjects, 444
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320
Contribution of the sympathetic nervous system to the hypertensive effect of a high sodium diet in stroke-prone spontaneously hypertensive rats, 773
Effect of in vitro administration of captopril on vascular reactivity of rat aorta, 118
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13
Salt excretion and vascular resistance of perfused kidneys of Dahl rats, 532
Sustained blood pressure elevation to lower body compression in pigs and dogs, 782
Sympathetic system function and vascular reactivity in hypercalcemic patients, 452
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3
Vasoconstriction
Adrenergic mechanisms do not contribute to salt-induced vasoconstriction in stroke-prone spontaneously hypertensive rat, 288
Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension, 39
Hypotensive action of captopril in spontaneously hypertensive and normotensive rats. Interference with neurogenic vasoconstriction, 764
Vasodilation
Furosemide increases urine 6-keto-prostaglandin $F_{1\alpha}$. Relation to natriuresis, vasodilation, and renin release, 634
Influence of converting enzyme inhibition on renal hemodynamics and glomerular dynamics in sodium-restricted dogs, 58
Nitroprusside-induced vascular relaxation in DOCA hypertensive rats, 13
Vasomotor outflow
Plasma norepinephrine in the evaluation of baroreceptor function in humans, 566
Vasopressin
Central effects of prostaglandin E_2 on blood pressure and plasma renin activity in rats. Role of the sympathoadrenal system and vasopressin, 809
Evidence for a vascular sensitizing factor in plasma of saline-loaded dogs, 581
Interaction of the sympathetic nervous system with vasopressin and renin in the maintenance of blood pressure, 400
Neurohypophyseal response to dehydration in the spontaneously hypertensive rat, 161
Streptozotocin diabetic rats are hypertensive despite reduced hypothalamic responsiveness, 556
Vasopressin and vascular reactivity in the development of DOCA hypertension in rats with hereditary diabetes insipidus, 3
Venous compliance
Cardiovascular effects of acebutolol and hydrochlorothiazide in essential hypertension, 320
Visuospatial performance
Cognitive processes in hypertension, 226
Volume-expanded hypertension
Sodium pump activity in arteries of rats with Goldblatt hypertension, 132

W

Water-electrolyte balance
Baroreceptor reflex influence on peripheral circulations in salt-loading hypertension in dogs, 597
Chronic effects of ACTH and cortisol excess on arterial pressure in normotensive and hypertensive dogs, 652
Electrolyte and water balance in young spontaneously hypertensive rats, 908
Weaning
Renal denervation at weaning retards development of hypertension in New Zealand genetically hypertensive rats, 361
Weight
Blood pressure and hormone changes associated with weight reduction in the obese, 686
Blood pressure, fatness, and fat patterning among USA adolescents from two ethnic groups, 483
Hypertension in obese patients: hemodynamic and volume studies, 84
Pressor factors and cardiovascular pressor responsiveness in lean and overweight normal or hypertensive subjects, 697
Wistar-Kyoto rat
Aldosterone binding sites in aortic cell cultures from spontaneously hypertensive rats Nichols NR Hall CE Meyer WJ III, 646
World Health Organization
Strange companionship. Letter, 751
World Health Organization Workshop on Hypertension
WHO Workshop on the Methodology of Hypertension Cationic Markers Determination, 916

X

Xenon washout
Renal response to propranolol treatment in hypertensive humans, 125

Index to Volume 4 Supplements

JANUARY-DECEMBER 1982

SUPPLEMENT I
HYPERTENSION AMONG BLACKS
AN ANNOTATED BIBLIOGRAPHY

SUPPLEMENT II
CELLULAR, HORMONAL, AND NEURAL
ALTERATIONS IN HYPERTENSION

SUPPLEMENT III
CURRENT PERSPECTIVES IN HYPERTENSION
A SYMPOSIUM ON FOOD, NUTRITION, AND HEALTH

AUTHOR INDEX

A

Abboud FM, II-208
Abel PW, II-49
Alexander RC, II-52
Altschul AM, III-116
Amann FW, II-26
Atlas SA, II-86

B

Barrett JD, II-75
Barron KW, II-131
Berchtold P, III-50
Berecek KH, II-131
Berger M, III-50
Björntorp P, III-56
Bladen C, III-152
Bohr DF, III-99
Bolli P, II-26
Braitman LE, III-135
Bravo EL, II-193
Brock TA, II-43
Brody MJ, II-131, II-159, III-68
Brown A, II-59
Brown CE, II-200
Brown G, III-79
Brunner HR, II-125
Bühler F, II-26
Burris JF, II-32
Buu NT, III-93

C

Carroll RG, II-138
Celio MR, II-70
Chiba S, II-80
Chute RN, II-200
Coghlan JP, II-154
Congiu M, II-154
Corvol P, II-86
Cottrill CM, II-119
Cowley AW Jr, II-1
Crocco SC, III-160
Crofton JT, III-85

D

Davis JO, II-106
Denton DA, II-154
Dietz JR, II-106
DiPette DJ, II-125
Dougherty RM, III-34
Douglas JG, III-79
Dustan HP, III-62

E

Echtenkamp SF, II-106
Eggena P, II-75
Elliott ME, II-52

F

Feinleib M, III-121
Ferrario CM, II-175
Filer J, III-1
Folkow B, II-101
Forbes AL, III-170
Forsyth MS, II-200
Fouad FM, II-193
Freeman RH, II-106
Freis ED, II-32
Friedman GD, III-143
Frohlich ED, II-113

G

Gandler T, II-188
Ganguli M, II-149
Garommet JK, III-116
Gavras H, II-125
Gavras I, II-125
Genest J, II-36
Gibbons A, I-1
Gibson GS, I-1
Gifford RW Jr, II-193
Goodfriend TL, II-52
Göthberg G, II-101
Graham WF, II-154
Grahm RM, II-183
Grant J, II-59
Guthrie GP, II-119
Gutkowska J, II-36

H

Haber E, II-183
Hallett A, II-59
Hartle DK, II-159, III-68
Havlik RJ, III-121
Haywood JR, II-188
Henry HJ, III-2
Hermsmeyer K, II-49
Hess H-J, II-183
Hesson TE, II-86
Homcy CJ, II-183
Hughes M, II-59
Hulse MC, II-200
Hulthén L, II-26

I

Iacono JM, III-34
Inagami T, II-70
Iwai J, II-149

J

Johnson AK, II-159
Johnson MA, II-149
Jones DM, II-59
Jörgens V, III-50

K

Kaplan AP, II-86
Kardon MB, II-113
Katholi RE, II-166
Kemmer FW, III-50
Khoo C-S, III-135
Kiowski W, II-26
Klatsky AL, III-143
Kotchen JM, II-119, III-128
Kotchen TA, II-119, III-128
Kuchel O, III-93
Kuwajima I, II-113

L

Langford HG, III-166
Laragh JH, II-86
Leckie BJ, II-59
Lever AF, II-59
Levy MN, II-8
Linas SL, III-20
Lind RW, II-159
Lis M, II-36
Lohmeier TE, II-138
Luft FC, III-14
Lundin S, II-101

M

Manger WM, II-200
Mason RT, II-154
McCarron DA, III-1, III-2, III-27
McGiff JC, II-80, II-96
McKean HE, III-128
McKinley MJ, II-154
Ménard J, II-86
Moreland RS, III-99
Morris CD, III-2
Murphy RA, II-3

N

Naruse K, II-70
North WG, II-125
Notargiacomo AV, II-32

O

O'Connor DT, III-72
Oparil S, II-166, III-108
Overbeck HW, II-43

P

Paller MS, III-20
Papademetriou V, II-32
Peach MJ, II-19
Pegram BL, II-113
Pettinger WA, II-188
Porter GA, III-157
Puska P, III-34

Q

Quilley CP, II-80

R

Riley AM Jr, III-135
Rodes T, II-188
Rubin RJ, III-152

S

Saavedra J, II-188
Sambhi MP, II-75
Sanchez A, II-188
Schiffrin EL, II-36
Scoggins BA, II-154
Sealy JE, II-86
Serri O, III-93
Sesoko S, II-113
Seymour AA, II-106
Share L, III-85
Siegelaub AB, III-143
Sims EAH, III-43
Singer HA, II-19
Smith JB, II-43
Smith JL, III-135
Smith MH, II-154
Spokas EG, II-96
Stanton JL, III-135
Sussman R, II-200
Szelke M, II-59

T

Takii Y, II-70
Takishita S, II-175
Tarazi RC, II-8, II-193
Textor SC, II-193
Tobian L, II-149
Trapani AJ, II-49
Tree M, II-59
Tresham J, II-154

V

Van Itallie TB, III-1, III-177
Vidt DG, II-193
Villarreal D, II-106

W

Warren S, II-200
Webb K, II-200
Webb RC, III-99
Webb RL, II-131
Weinberger MH, III-14
Weisinger RS, II-154
White C, III-79
White PL, III-160
Whitlow PL, II-166
Winternitz SR, II-166, III-108
Wong PY-K, II-96
Workman RJ, II-70
Wright RD, II-154

Index to Volume 4 Supplements

JANUARY-DECEMBER 1982

SUBJECT INDEX

A

A23187
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
Adolescence
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Adrenal gland
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Blood pressure regulation in pheochromocytoma, II-193
Influence of cations on kinetics of angiotensin II binding to adrenal, renal, and smooth muscle receptors, III-79
Adrenocorticotropic hormone (ACTH)
Alterations in osmotic but not pressor responses to ACTH by optic recess lesions in sheep, II-154
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Relative roles of sodium and calcium ions in the steroidogenic response of isolated rat adrenal glomerulosa cells, II-36
Affinity chromotography
Antibodies to the alpha$_1$- and alpha$_2$-selective antagonists prazosin and yohimbine as probes of the alpha-adrenergic binding sites, II-183
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86
Aging
Blood pressure trends with aging, III-128
Alcohol
Alcohol, tobacco, and hypertension, III-143
Aldosterone
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Alimentary
Sulfoconjugation of catecholamines, nutrition, and hypertension, III-93
Alpha adrenergic antagonists
Altered renal alpha$_2$-adrenergic receptor regulation in genetically hypertensive rats, II-188
Antibodies to the alpha$_1$- and alpha$_2$-selective antagonists prazosin and yohimbine as probes of the alpha-adrenergic binding sites, II-183
Altered neural control
Altered neural control of cardiovascular function in sodium-depleted dogs, II-175
American Heart Association
Contributions of volunteer health organizations to the formulation of public health policy. Commentary, III-157
Angiotensin-converting enzyme inihibition
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Angiotensin I
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Angiotensin II
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Hypothalamic vasomotor pathways mediating the development of hypertension in the rat, III-68
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Influence of cations on kinetics of angiotensin II binding to adrenal, renal, and smooth muscle receptors, III-79
Localization of the anterior hypothalamic angiotensin II pressor system, II-159
Relative roles of sodium and calcium ions in the steroidogenic response of isolated rat adrenal glomerulosa cells, II-36
Angiotensinogen
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Animal studies, dog
Altered neural control of cardiovascular function in sodium-depleted dogs, II-175
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Importance of the renal nerves in the pathogenesis of experimental hypertension, III-108
Renal prostaglandins and the control of renin release, II-106
Animal studies, monkey
Importance of the renal nerves in the pathogenesis of experimental hypertension, III-108
Animal studies, rabbit
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
Prostaglandin-related renin release from rabbit renal cortical slices, II-96
Animal studies, rat
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Altered renal alpha$_2$-adrenergic receptor regulation in genetically hypertensive rats, II-188
Calcium, magnesium, and phosphorus balance in human and experimental hypertension, III-27
Effect of pheochromocytoma and hypophysectomy on blood pressure and catecholamines in NEDH rats, II-200
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Hemodynamic effects of alteration in potassium, III-20
Hypothalamic vasomotor pathways mediating the development of hypertension in the rat, III-68
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Importance of the renal nerves in the pathogenesis of experimental hypertension, III-108

In vivo and in vitro alterations of active and inactive plasma renins in the rat, II-75
Influence of renal prostaglandins and dietary linoleate on hypertension in Dahl S rats, II-149
Localization of the anterior hypothalamic angiotensin II pressor system, II-159
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Regression of left ventricular hypertrophy in two-kidney, one clip Goldblatt hypertension, II-113
Relative roles of sodium and calcium ions in the steroidogenic response of isolated rat adrenal glomerulosa cells, II-36
Vasopressin in salt-induced hypertension of experimental renal insufficiency, II-125

Animal studies, sheep
Alterations in osmotic but not pressor responses to ACTH by optic recess lesions in sheep, II-154

Anteroventral third ventricle
Localization of the anterior hypothalamic angiotensin II pressor system, II-159

Anthropometry
Demographic, dietary, life style, and anthropometric correlates of blood pressure, III-135

Antibody inhibition
Antibodies to the alpha$_1$- and alpha$_2$-selective antagonists prazosin and yohimbine as probes of the alpha-adrenergic binding sites, II-183
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86

Antidiuretic hormone
Contribution of vasopressin to hypertension, III-85

Antihypertensive substances
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Regression of left ventricular hypertrophy in two-kidney, one clip Goldblatt hypertension, II-113

Aorta
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
Relationship of vascular sodium-potassium pump activity to intracellular sodium in hypertensive rats, II-43

Aortic constriction
Renal prostaglandins and the control of renin release, II-106

Arginine
Vasopressin in salt-induced hypertension of experimental renal insufficiency, II-125

Arterial muscle
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49

Arterial pressure
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Physiologic regulation of arterial pressure. An overview, III-62

Arteriolar tone
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26

B

Baroreceptors
Renal prostaglandins and the control of renin release, II-106

Bay e 5009
Acute and short-term effects of a new calcium antagonist in hypertension, II-32

Beta-adrenergic mechanism
Renal prostaglandins and the control of renin release, II-106

Black population
Hypertension among blacks, I-1

Blood pressure regulation
Blood pressure regulation in pheochromocytoma, II-193
Human nutrition and blood pressure regulation: an integrated approach, III-2
Hypertension and the Department of Health and Human Services, III-152
Hypothalamic vasomotor pathways mediating the development of hypertension in the rat, III-68
Mechanisms of hypertension in the overweight, III-43
Obesity and hypertension: cardiovascular response to weight reduction, III-50
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160
Reduction of blood pressure associated with dietary polyunsaturated fat, III-34

Blood pressure research
Ciba award for hypertension research, II-2
Hypertension and the Department of Health and Human Services, III-152

Body mass
Hypertension among blacks, I-1

Body weight
Mechanisms of hypertension in the overweight, III-43
Obesity and hypertension: cardiovascular response to weight reduction, III-50

Brattleboro rat
Vasopressin-central nervous system interactions in the development of DOCA hypertension, II-131

C

Calcium antagonist
Acute and short-term effects of a new calcium antagonist in hypertension, II-32

Calcium influx
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26

Calcium regulation
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
Calcium, magnesium, and phosphorus balance in human and experimental hypertension, III-27
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Relative roles of sodium and calcium ions in the steroidogenic response of isolated rat adrenal glomerulosa cells, II-36

Calcium stabilization
Vascular changes in DOCA hypertension. Influence of a low protein diet, III-99

Calmodulin
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3

Campbell Soup Company Symposium
Current perspectives in hypertension, III-1

Captopril
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70

Carbachol
Hypothalamic vasomotor pathways mediating the development of hypertension in the rat, III-68

Cardiac response
Cardiac responses to increased afterload. State-of-the-art review, II-8
Cardiopulmonary receptors
Altered neural control of cardiovascular function in sodium-depleted dogs, II-175
Cardiovascular research
Human nutrition and blood pressure regulation: an integrated approach, III-2
Cardiovascular response
Mechanisms of hypertension in the overweight, III-43
Obesity and hypertension: cardiovascular response to weight reduction, III-50
Catecholamines
Blood pressure regulation in pheochromocytoma, II-193
Effect of pheochromocytoma and hypophysectomy on blood pressure and catecholamines in NEDH rats, II-200
Mechanisms of hypertension in the overweight, III-43
Sulfoconjugation of catecholamines, nutrition, and hypertension, III-93
Cations
Influence of cations on kinetics of angiotensin II binding to adrenal, renal, and smooth muscle receptors, III-79
Caudal arterial muscle
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Central nervous system
Hypothalamic vasomotor pathways mediating the development of hypertension in the rat, III-68
Localization of the anterior hypothalamic angiotensin II pressor system, II-159
Vasopressin-central nervous system interactions in the development of DOCA hypertension, II-131
Cerebrovascular disease
Hypertension among blacks, I-44
Childhood
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Chromatography
Antibodies to the $alpha_1$- and $alpha_2$-selective antagonists prazosin and yohimbine as probes of the alpha-adrenergic binding sites, II-183
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86
Ciba award for hypertension research
Ciba award for hypertension research, II-2
Cigarette smoking
Alcohol, tobacco, and hypertension, III-143
Clonidine
Symposium on current perspectives in hypertension, III-177
Compliance
Hypertension among blacks, I-51
Consumer options
Food choices for lowering sodium intake, III-116
Contraction
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Converting-enzyme inhibition
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Cortisol
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Creatinine clearance
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Cross perfusion
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Crossbridge regulation
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Current perspectives in hypertension
Current perspectives in hypertension, III-1
Symposium on current perspectives in hypertension, III-177

D

Dahl rat
Influence of renal prostaglandins and dietary linoleate on hypertension in Dahl S rats, II-149
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Demographic factors
Demographic, dietary, life style, and anthropometric correlates of blood pressure, III-135
Department of Health and Human Services
Hypertension and the Department of Health and Human Services, III-152
Diabetes
Vasopressin-central nervous system interactions in the development of DOCA hypertension, II-131
Diastolic blood pressure
Acute and short-term effects of a new calcium antagonist in hypertension, II-32
Diet
Calcium, magnesium, and phosphorus balance in human and experimental hypertension, III-27
Demographic, dietary, life style, and anthropometric correlates of blood pressure, III-135
Discussion, III-60
Drug and dietary intervention in hypertension, III-166
Human nutrition and blood pressure regulation: an integrated approach, III-2
Reduction of blood pressure associated with dietary polyunsaturated fat, III-34
Sulfoconjugation of catecholamines, nutrition, and hypertension, III-93
Vascular changes in DOCA hypertension. Influence of a low protein diet, III-99
Diuretic treatment
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
DOCA hypertension
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Relationship of vascular sodium-potassium pump activity to intracellular sodium in hypertensive rats, II-43
Vascular changes in DOCA hypertension. Influence of a low protein diet, III-99
Vasopressin-central nervous system interactions in the development of DOCA hypertension, II-131
Dopamine sulfate
Sulfoconjugation of catecholamines, nutrition, and hypertension, III-93
Drug treatment
Drug and dietary intervention in hypertension, III-166

E

Electrogenic ion transport
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Electrolytes
Calcium, magnesium, and phosphorus balance in human and experimental hypertension, III-27

Endocrine factor
Hypertension among blacks, I-4
Endothelium
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
Environmental factors
Epidemiology and genetics of hypertension, III-121
Food choices for lowering sodium intake, III-116
Hypertension among blacks, I-6
Enzymes kinetics
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86
Epidemiology
Alcohol, tobacco, and hypertension, III-143
Epidemiology and genetics of hypertension, III-121
Food choices for lowering sodium intake, III-116
Hypertension among blacks, I-7
Importance of the renal nerves in the pathogenesis of experimental hypertension, III-108
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160
Essential hypertension
Blood pressure regulation in pheochromocytoma, II-193
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Sodium intake and essential hypertension, III-14
Ethanol
Alcohol, tobacco, and hypertension, III-143
Exercise
Hypertension and exercise, III-56
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Extracorporal perfusion
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101

F

Families
Epidemiology and genetics of hypertension, III-121
Food and Drug Administration
FDA and related tracking systems concerned with sodium, III-170
Forearm blood flow
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26

G

Ganglionic block
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Genetic factors
Altered renal alpha$_2$-adrenergic receptor regulation in genetically hypertensive rats, II-188
Epidemiology and genetics of hypertension, III-121
Food choices for lowering sodium intake, III-116
Hypertension among blacks, I-28
Gestational hypertension
Blood pressure trends with aging, III-128
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Glaucoma
Hypertension among blacks, I-51
Glomerulosa cells
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Influence of cations on kinetics of angiotensin II binding to adrenal, renal, and smooth muscle receptors, III-79
Relative roles of sodium and calcium ions in the steroidogenic response of isolated rat adrenal glomerulosa cells, II-36
Glucose
Hypertension and exercise, III-56
Glucose-6-phosphate dehydrogenase
Hypertension among blacks, I-51
Glucose-6-phosphate dehydrogenase deficiency
Hypertension among blacks, I-1
Goldblatt hypertension
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Regression of left ventricular hypertrophy in two-kidney, one clip Goldblatt hypertension, II-113
Vasopressin in salt-induced hypertension of experimental renal insufficiency, II-125
Government regulations
Hypertension and the Department of Health and Human Services, III-152
Grollman hypertension
Relationship of vascular sodium-potassium pump activity to intracellular sodium in hypertensive rats, II-43

H

H-77
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Heart disease
Hypertension among blacks, I-29
Heart failure
Cardiac responses to increased afterload. State-of-the-art review, II-8
Hemodynamics
Hemodynamic effects of alteration in potassium, III-20
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Hemolytic episode
Hypertension among blacks, I-1
Heredity
Epidemiology and genetics of hypertension, III-121
Hexamethonium bromide
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Hydrophobic chromatography
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86
Hypertonic saline
Hypothalamic vasomotor pathways mediating the development of hypertension in the rat, III-68
Hypertrophy
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Regression of left ventricular hypertrophy in two-kidney, one clip Goldblatt hypertension, II-113
Hypophysectomy
Effect of pheochromocytoma and hypophysectomy on blood pressure and catecholamines in NEDH rats, II-200
Hypothalamus
Hypothalamic vasomotor pathways mediating the development of hypertension in the rat, III-68
Localization of the anterior hypothalamic angiotensin II pressor system, II-159

I

Immunohistochemistry
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Indomethacin
Prostaglandin-related renin release from rabbit renal cortical slices, II-96
Insulin
Hypertension and exercise, III-56
Mechanisms of hypertension in the overweight, III-43
Intracellular mechanism
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Intracellular potassium
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Intracellular sodium
Relationship of vascular sodium-potassium pump activity to intracellular sodium in hypertensive rats, II-43
Isoelectric focusing
In vivo and in vitro alterations of active and inactive plasma renins in the rat, II-75

J

Justaglomerular cells
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Juvenile hypertension
Hypertension among blacks, I-32

K

Kallikrein
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Kenya
Hypertension among blacks, I-29
Hypertension among blacks, I-32
6-Keto-prostaglandin E_1
Prostaglandin-related renin release from rabbit renal cortical slices, II-96
Kidney
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Altered renal alpha$_2$-adrenergic receptor regulation in genetically hypertensive rats, II-188
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Influence of cations on kinetics of angiotensin II binding to adrenal, renal, and smooth muscle receptors, III-79
Influence of renal prostaglandins and dietary linoleate on hypertension in Dahl S rats, II-149
Prostaglandin-related renin release from rabbit renal cortical slices, II-96
Renal prostaglandins and the control of renin release, II-106
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Vasopressin in salt-induced hypertension of experimental renal insufficiency, II-125

L

Left ventricular hypertrophy
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Regression of left ventricular hypertrophy in two-kidney, one clip Goldblatt hypertension, II-113
Life style
Demographic, dietary, life style, and anthropometric correlates of blood pressure, III-135
Linoleic acid
Influence of renal prostaglandins and dietary linoleate on hypertension in Dahl S rats, II-149
Reduction of blood pressure associated with dietary polyunsaturated fat, III-34

M

Macronutrients
Human nutrition and blood pressure regulation: an integrated approach, III-2
Macula densa
Renal prostaglandins and the control of renin release, II-106
Magnesium
Calcium, magnesium, and phosphorus balance in human and experimental hypertension, III-27
Membrane potential electrogenesis
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Metacholine
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
MK-421
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Monensin
Relationship of vascular sodium-potassium pump activity to intracellular sodium in hypertensive rats, II-43
Myosin light chain kinase
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Myosin light chain phosphatase
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3

N

Na,K-ATPase
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Relationship of vascular sodium-potassium pump activity to intracellular sodium in hypertensive rats, II-43
Nephrectomy
Vasopressin in salt-induced hypertension of experimental renal insufficiency, II-125
Neural mechanisms
Physiologic regulation of arterial pressure. An overview, III-62
New England Deaconess Hospital rat
Effect of pheochromocytoma and hypophysectomy on blood pressure and catecholamines in NEDH rats, II-200
Nifedipine
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
Nitrendipine
Acute and short-term effects of a new calcium antagonist in hypertension, II-32

Nitroprusside
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26
Norepinephrine
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Norepinephrine hypersensitivity
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Nutrition
Discussion, III-60
Human nutrition and blood pressure regulation: an integrated approach, III-2
Hypertension among blacks, I-1
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160
Sodium intake and essential hypertension, III-14
Sulfoconjugation of catecholamines, nutrition, and hypertension, III-93

O

Obesity
Hypertension and exercise, III-56
Mechanisms of hypertension in the overweight, III-43
Obesity and hypertension: cardiovascular response to weight reduction, III-50
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160
Octapeptide
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Ocular hypertension
Hypertension among blacks, I-51
Opioid peptides
Physiologic regulation of arterial pressure. An overview, III-62
Optic recess lesions
Alterations in osmotic but not pressor responses to ACTH by optic recess lesions in sheep, II-154
Organum vasculosum of the lamina terminalis
Alterations in osmotic but not pressor responses to ACTH by optic recess lesions in sheep, II-154
Osmotic response
Alterations in osmotic but not pressor responses to ACTH by optic recess lesions in sheep, II-154

P

Papillary plasma flow
Influence of renal prostaglandins and dietary linoleate on hypertension in Dahl S rats, II-149
Patient education
Hypertension among blacks, I-51
Pepstatin
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86
Peptides
Physiologic regulation of arterial pressure. An overview, III-62
Perfusion
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Peripheral resistance
Hypertension and exercise, III-56
Pheochromocytoma
Blood pressure regulation in pheochromocytoma, II-193
Effect of pheochromocytoma and hypophysectomy on blood pressure and catecholamines in NEDH rats, II-200
Sulfoconjugation of catecholamines, nutrition, and hypertension, III-93
Phosphatidyl inositol
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Phospholipase
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Phospholipid
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Phosphorus
Calcium, magnesium, and phosphorus balance in human and experimental hypertension, III-27
Phosphorylation
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Physiological factors
Discussion, III-115
Physiologic regulation of arterial pressure. An overview, III-62
Plasma
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86
Plasma renin activity
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
In vivo and in vitro alterations of active and inactive plasma renins in the rat, II-75
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Plasma volume
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Platelet aggregation inhibition
Prostaglandin-related renin release from rabbit renal cortical slices, II-96
Polyunsaturated fat
Reduction of blood pressure associated with dietary polyunsaturated fat, III-34
Potassium
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Hemodynamic effects of alteration in potassium, III-20
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160
Relative roles of sodium and calcium ions in the steroidogenic response of isolated rat adrenal glomerulosa cells, II-36
Potassium relaxation
Symposium on current perspectives in hypertension, III-177
Prazosin
Antibodies to the $alpha_1$- and $alpha_2$-selective antagonists prazosin and yohimbine as probes of the alpha-adrenergic binding sites, II-183
Pregnancy
Hypertension among blacks, I-35
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Pressor response
Alterations in osmotic but not pressor responses to ACTH by optic recess lesions in sheep, II-154
Localization of the anterior hypothalamic angiotensin II pressor system, II-159
Pressure overload
Cardiac responses to increased afterload. State-of-the-art review, II-8

Product labelling of salt content
Hypertension and the Department of Health and Human Services, III-152
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160
Prorenin
Biochemical similarity of partially purified inactive renins from human plasma and kidney, II-86
Prostacyclin metabolites
Prostaglandin-related renin release from rabbit renal cortical slices, II-96
Prostaglandins
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Influence of renal prostaglandins and dietary linoleate on hypertension in Dahl S rats, II-149
Prostaglandin-related renin release from rabbit renal cortical slices, II-96
Reduction of blood pressure associated with dietary polyunsaturated fat, III-34
Protein
Vascular changes in DOCA hypertension. Influence of a low protein diet, III-99
Protein synthesis
Aspects of angiotensin action in the adrenal. Key roles for calcium and phosphatidyl inositol, II-52
Public health programs/policy
Contributions of volunteer health organizations to the formulation of public health policy. Commentary, III-157
FDA and related tracking systems concerned with sodium, III-170
Hypertension and the Department of Health and Human Services, III-152
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160

R

Receptors
Influence of cations on kinetics of angiotensin II binding to adrenal, renal, and smooth muscle receptors, III-79
Red blood cells
Effect of pheochromocytoma and hypophysectomy on blood pressure and catecholamines in NEDH rats, II-200
Relaxing factor
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
Renal alpha-adrenergic receptor regulation
Altered neural control of cardiovascular function in sodium-depleted dogs, II-175
Altered renal alpha$_2$-adrenergic receptor regulation in genetically hypertensive rats, II-188
Renal blood flow
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Renal hypertension
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Hypertension among blacks, I-36
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Renal kallikrein-kinin system
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Renal nerves
Altered neural control of cardiovascular function in sodium-depleted dogs, II-175
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Importance of the renal nerves in the pathogenesis of experimental hypertension, III-108
Renal receptors
Influence of cations on kinetics of angiotensin II binding to adrenal, renal, and smooth muscle receptors, III-79
Renin
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
In vivo and in vitro alterations of active and inactive plasma renins in the rat, II-75
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Renal prostaglandins and the control of renin release, II-106
Renin-angiotensin-aldosterone system
Altered neural control of cardiovascular function in sodium-depleted dogs, II-175
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26
Hemodynamic effects of alteration in potassium, III-20
Immunohistochemical evidence that angiotensins I and II are formed by intracellular mechanism in juxtaglomerular cells, II-70
Renin inhibition
H-77: a potent new renin inhibitor. In vitro and in vivo studies, II-59
Renin release, control of
Renal prostaglandins and the control of renin release, II-106
Retinopathy
Hypertension among blacks, I-51
Reversal of renal hypertension
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Rice-fruit diet
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160
Risk factors
Epidemiology and genetics of hypertension, III-121
Low renin in young mothers and their children following hypertension in pregnancy, II-119
Mechanisms of hypertension in the overweight, III-43
Obesity and hypertension: cardiovascular response to weight reduction, III-50

S

Saline infusion
Vasopressin in salt-induced hypertension of experimental renal insufficiency, II-125
Salt restriction
Food choices for lowering sodium intake, III-116
Physiologic regulation of arterial pressure. An overview, III-62
Public health issues and intervention programs in hypertension. Some public policy concerns in managing hypertension, III-160
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Sodium intake and essential hypertension, III-14
Screening
Hypertension among blacks, I-1
Smooth muscle
Blood pressure regulation in pheochromocytoma, II-193
Calcium- and endothelial-mediated vascular smooth muscle relaxation in rabbit aorta, II-19
Influence of cations on kinetics of angiotensin II binding to adrenal, renal, and smooth muscle receptors, III-79
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
Vascular changes in DOCA hypertension. Influence of a low protein diet, III-99

Sodium balance
Altered renal alpha$_2$-adrenergic receptor regulation in genetically hypertensive rats, II-188
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Physiologic regulation of arterial pressure. An overview, III-62
Relative roles of sodium and calcium ions in the steroidogenic response of isolated rat adrenal glomerulosa cells, II-36
Sodium depletion
Altered neural control of cardiovascular function in sodium-depleted dogs, II-175
Sodium excretion
Influence of renal prostaglandins and dietary linoleate on hypertension in Dahl S rats, II-149
Sodium flux
Vascular changes in DOCA hypertension. Influence of a low protein diet, III-99
Sodium intake
Food choices for lowering sodium intake, III-116
Hypertension among blacks, I-41
Physiologic regulation of arterial pressure. An overview, III-62
Sodium intake and essential hypertension, III-14
Sodium nitroprusside
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26
Sodium-potassium pump
Relationship of vascular sodium-potassium pump activity to intracellular sodium in hypertensive rats, II-43
Sodium sensitivity
Food choices for lowering sodium intake, III-116
Sodium tracking
FDA and related tracking systems concerned with sodium, III-170
Spontaneously hypertensive rat
Altered renal alpha$_2$-adrenergic receptor regulation in genetically hypertensive rats, II-188
Calcium, magnesium, and phosphorus balance in human and experimental hypertension, III-27
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
SQ 20,881
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Steroidogenic response
Relative roles of sodium and calcium ions in the steroidogenic response of isolated rat adrenal glomerulosa cells, II-36
Stress
Hypertension among blacks, I-42
Sulfoconjugation
Sulfoconjugation of catecholamines, nutrition, and hypertension, III-93
Sympathetic nervous system
Altered neural control of cardiovascular function in sodium-depleted dogs, II-175
Blood pressure regulation in pheochromocytoma, II-193
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26
Hypertension and exercise, III-56
Hypothalamic vasomotor pathways mediating the development of hypertension in the rat, III-68
Importance of the renal nerves in the pathogenesis of experimental hypertension, III-108
Norepinephrine sensitivity and membrane potentials of caudal arterial muscle in DOCA-salt, Dahl, and SHR hypertension in the rat, II-49
The sympathetic system in hypertension. State-of-the-art review, II-208

T

Tail artery
Relationship of vascular sodium-potassium pump activity to intracellular sodium in hypertensive rats, II-43
Teprotide
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Thiazide diuretics
Response of the renal kallikrein-kinin system, intravascular volume, and renal hemodynamics to sodium restriction and diuretic treatment in essential hypertension, III-72
Thyroid function
Mechanisms of hypertension in the overweight, III-43
Tobacco
Alcohol, tobacco, and hypertension, III-143
Tracking
Blood pressure trends with aging, III-128
FDA and related tracking systems concerned with sodium, III-170
Treatment
Acute and short-term effects of a new calcium antagonist in hypertension, II-32
Hypertension among blacks, I-48
Regression of left ventricular hypertrophy in two-kidney, one clip Goldblatt hypertension, II-113
Trypsin
In vivo and in vitro alterations of active and inactive plasma renins in the rat, II-75
Tumor transplantation
Effect of pheochromocytoma and hypophysectomy on blood pressure and catecholamines in NEDH rats, II-200
Twins
Epidemiology and genetics of hypertension, III-121

U

Uganda
Hypertension among blacks, I-1
Unclipping
Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, II-166
Regression of left ventricular hypertrophy in two-kidney, one clip Goldblatt hypertension, II-113
Urinary excretion
Calcium, magnesium, and phosphorus balance in human and experimental hypertension, III-27
Renal prostaglandins and the control of renin release, II-106

V

Vascular reactivity
Decreased vascular responsiveness produced by angiotensin-converting enzyme inhibitors in the rat isolated kidney, II-80
Myosin phosphorylation and crossbridge regulation in arterial smooth muscle. State-of-the-art review, II-3
Vascular changes in DOCA hypertension. Influence of a low protein diet, III-99
Vasocontriction
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Hemodynamic effects of alteration in potassium, III-20
Vasodepressor effect
Acute vasodepressor effect in normotensive rats following extracorporal perfusion of the declipped kidney of two-kidney, one clip hypertensive rats, II-101
Vasodilaton
Acute and short-term effects of a new calcium antagonist in hypertension, II-32
Enhanced vasodilatation in essential hypertension by calcium blockade with verapamil, II-26
Hemodynamic effects of alteration in potassium, III-20

Vasopressin
Contribution of vasopressin to hypertension, III-85
Vasopressin-central nervous system interactions in the development of DOCA hypertension, II-131
Vasopressin in salt-induced hypertension of experimental renal insufficiency, II-125
Ventricular performance
Regression of left ventricular hypertrophy in two-kidney, one clip Goldblatt hypertension, II-113
Volunteer health organizations
Contributions of volunteer health organizations to the formulation of public health policy. Commentary, III-157

W

Water balance
Chronic potentiation of vasoconstrictor hypertension by adrenocorticotropic hormone, II-138
Weight
Hypertension among blacks, I-3
Mechanisms of hypertension in the overweight, III-43
Obesity and hypertension: cardiovascular response to weight reduction, III-50

Publisher's Statement

Hypertension (ISSN 0914-911X) is published bimonthly by the:
American Heart Association, 7320 Greenville Avenue, Dallas, Texas 75231.
Second class postage paid at Dallas, Texas and additional mailing offices.

Postmaster: Please send address changes to *Hypertension*, American Heart Association, 7320 Greenville Avenue, Dallas, Texas 75231.

Copyright © 1982, American Heart Association, Inc.
7320 Greenville Avenue, Dallas, Texas 75231

Subscription Rates: United States, $40.00 per year; $20.00 for medical students, house officers, and research fellows. Outside United States, $55.00 per year. Single copies, $6.75 U.S.; $9.25 outside U.S., prepaid. To subscribe write to:

HYPERTENSION
c/o Publishing Director
American Heart Association
7320 Greenville Avenue
Dallas, Texas 75231
Tel. 214-750-5466

Editorial Correspondence: Manuscripts and editorial correspondence should be addressed to:
Harriet P. Dustan, M.D., *Editor-in-Chief*
HYPERTENSION
University of Alabama Medical Center
Dental Building Box 47
Birmingham, Alabama 35294
Tel. 205-934-6157

Business Correspondence: Changes of address, orders, payments, and other business correspondence should be addressed to:
HYPERTENSION
c/o Publishing Director
American Heart Association
7320 Greenville Avenue
Dallas, Texas 75231
Tel. 214-750-5464

Note: *Hypertension* (Volume 4, 1982) is not related to any other publication in the field of hypertension medicine except for *Recurring Bibliography of Hypertension*, also published by the American Heart Association.

HPRTDN 4 (19) 1-949 (1982)

Instructions to Contributors

Information concerning manuscripts suitable for *Hypertension*, including format, submission, review, and editing, will appear twice a year, in the January and July issues. The author will bear the cost of color illustrations, as well as the cost of reprints.